

PANEL PLATES MG-VRT-A

self adhesive, customisable

MG-VRT-A rigid PVC panel plates are used to create name plates, rating plates, data plates using company logos, technical data, serial numbers, EC certification, etc. CPT transparent polycarbonate covers can be used for increased durability. Consult us for availability of other colours.
 Note: UV resistance may vary between colours.



CERTIFICATES 

 2011/65/EU

LABORATORY TEST 

CEI EN 60950-1

INDELIBILITY

Information technology equipment - Safety

Part 1: General requirements

§ 1.7.11 Durability

Compliance is checked by inspection and by rubbing the marking by hand for 15 s with a piece of cloth soaked with water and again for 15 s with a piece of cloth soaked with hexane.

After this test, the marking shall be legible; it shall not be possible to remove marking plates easily and they shall show no curling.

CEI EN 61010-1

INDELIBILITY

Ed.2 equivalent to VDE 0411-1

Safety indications for electric devices for measurement, control and laboratory use

Part 1: General indications

This regulation requires that both material and the print shall withstand, cleaning with chemical agents commonly used in industry.

By rubbing manually by hand, without excessive pressure, for 30 seconds with a cloth soaked in the specific detergent or, if not specified, Isopropyl Alcohol.

CEMBRE STANDARD

INDELIBILITY

This test was created to simulate cleaning with chemical products commonly used on various surfaces.

By wiping with a cloth soaked in 95% Ethanol 30 times and making a visual inspection after every 10 passes.

DIN 30643

PANEL PLATES MG-VRT-A

Technical characteristics

Geometric shape	rectangular with square corners
Silicon free	yes
UL94 class	V0
Material	Rigid PVC
Adhesive	yes
Min operating temperature range	-30 °C
Max operating temperature range	60 °C
Min application temperature	10 °C
Max application temperature	40 °C



PANEL PLATES MG-VRT-A

List of products

MG-VRT-A						
Type	Height	Length	Quantity per sheet	Pack qty	SWcode	Colour
MG-VRT-A 88928	102 mm	138 mm	1	50	207	White
MG-VRT-A 88428	102 mm	138 mm	1	50	207	Yellow
MG-VRT-A 88728GY	102 mm	138 mm	1	50	207	Grey
MG-VRT-A 88228	102 mm	138 mm	1	50	207	Red
MG-VRT-A 88628	102 mm	138 mm	1	50	207	Blue
MG-VRT-A 88128	102 mm	138 mm	1	50	207	Black
MG-VRT-A 88446	25 mm	140 mm	4	100	824	Yellow
MG-VRT-A 88935	40 mm	138 mm	2	50	822	White
MG-VRT-A 88735GY	40 mm	138 mm	2	50	822	Grey
MG-VRT-A 88235	40 mm	138 mm	1	50	822	Red
MG-VRT-A 88135	40 mm	138 mm	2	50	822	Black
MG-VRT-A 88962	60 mm	100 mm	2	50	821	White
MG-VRT-A 88963	65 mm	122 mm	1	25	845	White
MG-VRT-A 88971	57 mm	87.5 mm	2	50	841	White
MG-VRT-A 88916	25 mm	50 mm	8	200	853	White
MG-VRT-A 88416	25 mm	50 mm	8	200	853	Yellow
MG-VRT-A 88716GY	25 mm	50 mm	8	200	853	Grey
MG-VRT-A 88216	25 mm	50 mm	8	200	853	Red
MG-VRT-A 88616	25 mm	50 mm	8	200	853	Blue
MG-VRT-A 88116	25 mm	50 mm	8	200	853	Black
MG-VRT-A 88908	25 mm	80 mm	4	100	861	White
MG-VRT-A 88408	25 mm	80 mm	4	100	861	Yellow
MG-VRT-A 88708GY	25 mm	80 mm	4	100	861	Grey
MG-VRT-A 88208	25 mm	80 mm	4	100	861	Red
MG-VRT-A 88608	25 mm	80 mm	4	100	861	Blue
MG-VRT-A 88108	25 mm	80 mm	4	100	861	Black
MG-VRT-A 88905	25 mm	100 mm	4	100	205	White
MG-VRT-A 88405	25 mm	100 mm	4	100	205	Yellow
MG-VRT-A 88205	25 mm	100 mm	4	100	205	Red

MG-VRT-A 88605	25 mm	100 mm	4	100	205	Blue
MG-VRT-A 88005	25 mm	100 mm	4	100	205	Black
MG-VRT-A 88900N	32 mm	58 mm	6	150	200	White
MG-VRT-A 88400N	32 mm	58 mm	6	150	200	Yellow
MG-VRT-A 88700NGY	32 mm	58 mm	6	150	200	Grey
MG-VRT-A 88200N	32 mm	58 mm	6	150	200	Red
MG-VRT-A 88600N	32 mm	58 mm	6	150	200	Blue
MG-VRT-A 88000N	32 mm	58 mm	6	150	200	Black
MG-VRT-A 88945	35 mm	75 mm	3	75	825	White
MG-VRT-A 88445	35 mm	75 mm	3	75	825	Yellow
MG-VRT-A 88917	35 mm	100 mm	3	75	810	White
MG-VRT-A 88417	35 mm	100 mm	3	75	810	Yellow
MG-VRT-A 88717GY	35 mm	100 mm	3	75	810	Grey
MG-VRT-A 88217	35 mm	100 mm	3	75	810	Red
MG-VRT-A 88617	35 mm	100 mm	3	75	810	Blue
MG-VRT-A 88517	35 mm	100 mm	3	75	810	Green
MG-VRT-A 88007	35 mm	100 mm	3	75	810	Black
MG-VRT-A 88901	42 mm	78 mm	2	50	202	White
MG-VRT-A 88401	42 mm	78 mm	2	50	202	Yellow
MG-VRT-A 88201	42 mm	78 mm	2	50	202	Red
MG-VRT-A 88701GY	42 mm	78 mm	2	50	202	Grey
MG-VRT-A 88101	42 mm	78 mm	2	50	202	Black
MG-VRT-A 88601	42 mm	78 mm	2	50	202	Blue
MG-VRT-A 88918	50 mm	50 mm	4	100	858	White
MG-VRT-A 88418	50 mm	50 mm	4	100	858	Yellow
MG-VRT-A 88118	50 mm	50 mm	4	100	858	Black
MG-VRT-A 88903	52 mm	107 mm	2	50	204	White
MG-VRT-A 88403	52 mm	107 mm	2	50	204	Yellow
MG-VRT-A 88703GY	52 mm	107 mm	2	50	204	Grey
MG-VRT-A 88203	52 mm	107 mm	2	50	204	Red
MG-VRT-A 88103	52 mm	107 mm	2	50	204	Black
MG-VRT-A 88771GY	57 mm	87.5 mm	2	50	841	Grey
MG-VRT-A 88902	62 mm	88 mm	1	25	203	White
MG-VRT-A 88402	62 mm	88 mm	1	25	203	Yellow
MG-VRT-A 88702GY	62 mm	88 mm	1	25	203	Grey

MG-VRT-A 88946	25 mm	140 mm	4	100	824	White
MG-VRT-A 88913	92 mm	118 mm	1	25	813	White
MG-VRT-A 88413	92 mm	118 mm	1	25	813	Yellow
MG-VRT-A 88713GY	92 mm	118 mm	1	25	813	Grey
MG-VRT-A 88213	92 mm	118 mm	1	25	813	Red
MG-VRT-A 88613	92 mm	118 mm	1	25	813	Blue
MG-VRT-A 88113	92 mm	118 mm	1	25	813	Black
MG-VRT-A 88964	90 mm	140 mm	1	25	846	White
MG-VRT-A 88904	105 mm	110 mm	1	25	812	White
MG-VRT-A 88404	105 mm	110 mm	1	25	812	Yellow
MG-VRT-A 88704GY	105 mm	110 mm	1	25	812	Grey
MG-VRT-A 88204	105 mm	110 mm	1	25	812	Red