


# SELF ADHESIVE PANEL LEGENDS MG-SIGNS-A

## *precut*

The MG-SIGN-A series is used for in-house production of warning, hazard, prohibition and mandatory signs from pictograms provided in the library of GENIUSPRO software. A highly versatile system for rapidly and accurately producing signs in all languages, on a one-off basis if required.



CERTIFICATES 

 2011/65/EU

LABORATORY TEST 

### **CEI EN 60950-1**

#### **INDELIBILITY**

#### **Information technology equipment - Safety**

*Part 1: General requirements*

*§ 1.7.11 Durability*

Compliance is checked by inspection and by rubbing the marking by hand for 15 s with a piece of cloth soaked with water and again for 15 s with a piece of cloth soaked with hexane.

After this test, the marking shall be legible; it shall not be possible to remove marking plates easily and they shall show no curling.

### **CEI EN 61010-1**

#### **INDELIBILITY**

#### **Ed.2 equivalent to VDE 0411-1**

#### **Safety indications for electric devices for measurement, control and laboratory use**

*Part 1: General indications*

This regulation requires that both material and the print shall withstand, cleaning with chemical agents commonly used in industry.

By rubbing manually by hand, without excessive pressure, for 30 seconds with a cloth soaked in the specific detergent or, if not specified, Isopropyl Alcohol.

---

## **CEMBRE STANDARD**

### **INDELIBILITY**

This test was created to simulate cleaning with chemical products commonly used on various surfaces.

By wiping with a cloth soaked in 95% Ethanol 30 times and making a visual inspection after every 10 passes.

---

## **DIN 30643**

---

# SELF ADHESIVE PANEL LEGENDS **MG-SIGNS-A**

## *Technical characteristics*

Silicon free	yes
Material	Rigid PVC
UL94 class	V0
Precut	yes
Adhesive	yes
Min operating temperature range	-30 °C
Max operating temperature range	60 °C
Min application temperature	10 °C
Max application temperature	40 °C



# SELF ADHESIVE PANEL LEGENDS MG-SIGNS-A

## List of products

<b>MG-SIGNS-A</b>								
Type	Height	Length	Diameter	Quantity per sheet	Pack qty	SWcode	Colour	Geometric shape
MG-SIGNS-A 990704	100 mm			1	50	262	Yellow	triangular
MG-SIGNS-A 990927			40 mm	4	200	250	White	circular
MG-SIGNS-A 990705			100 mm	1	50	253	White	circular
MG-SIGNS-A 990928	40 mm			4	200	250	Yellow	circular
MG-SIGNS-A 990858	40 mm			4	200	250	Red	circular
MG-SIGNS-A 990711	37 mm	74 mm		2	100	271	Yellow	rectangular with rounded corners
MG-SIGNS-A 990712	52 mm	105 mm		2	100	272	Yellow	rectangular with rounded corners