


HEAT- SHRINKABLE TUBING TERMO-ROLL H2

on reel, pre-cut





H2 type heat-shrinkable tubing is used to provide highly legible and resistant identification of cables, pipes, conduits, etc within a minimum space. Halogen free composition provides flame retardancy and low smoke emission characteristics suitable for safety critical applications including closed environments such as tunnels and subways, rail installations, marine and industrial applications.



HEAT-SHRINKABLE TUBING TERMO-ROLL H2

Technical characteristics

Material	Cross-linked polyolefin
Halogen Free	yes
Shrinkage ratio	2:1
Min shrinkage ratio temperature	90 °C
Min operating temperature range	-40 °C
Max operating temperature range	105 °C



HEAT-SHRINKABLE TUBING TERMO-ROLL H2

List of products

TERMO-ROLL H2

Products used together

Printers

Thermal transfer printer ROLLY2000TR1 990980 - ROLLY2000TR1 990980

H2-24

Minimum outside diameter	1.6 mm
Maximum outside diameter	2 mm
Minimum section	0.25 mm ²
Maximum section	0.5 mm ²



Type	Colour	Diameter pre-shrinkage	Length	Precut	Quantity per sheet	Printable on both sides	SWcode	Pack qty
H2-24-25-YE1	Yellow	2.4 mm	25 mm	yes	2	no	4802	2,000
H2-24-12.5-WH1	White	2.4 mm	12.5 mm	yes	4	no	4800	4,000
H2-24-25-WH1	White	2.4 mm	25 mm	yes	2	no	4802	2,000
H2-24-50-WH1	White	2.4 mm	50 mm	yes	1	no	4804	1,000
H2-24-25-WH2	White	2.4 mm	25 mm	yes	2	yes	4802	2,000
H2-24-50-WH2	White	2.4 mm	50 mm	yes	1	yes	4804	1,000
H2-24-25-YE2	Yellow	2.4 mm	25 mm	yes	2	yes	4802	2,000
H2-24-50-YE2	Yellow	2.4 mm	50 mm	yes	1	yes	4804	1,000
H2-24-WH3	White	2.4 mm	20000 mm			yes	7000	1
H2-24-WH3-50	White	2.4 mm	50000 mm			yes	7000	1
H2-24-YE3	Yellow	2.4 mm	20000 mm			yes	7000	1
H2-24-YE3-50	Yellow	2.4 mm	50000 mm			yes	7000	1

H2-32

Minimum outside diameter	1.8 mm
Maximum outside diameter	2.8 mm
Minimum section	0.5 mm ²
Maximum section	1 mm ²



Type	Colour	Diameter pre-shrinkage	Length	Quantity per sheet	Pack qty	SWcode	Printable on both sides	Precut	two-sided printing
H2-32-12.5-WH1	White	3.2 mm	12.5 mm	4	4,000	4810	no	yes	
H2-32-25-WH1	White	3.2 mm	25 mm	2	2,000	4812	no	yes	
H2-32-50-WH1	White	3.2 mm	50 mm	1	1,000	4814	no	yes	
H2-32-12.5-YE1	Yellow	3.2 mm	12.5 mm	4	4,000	4810	no	yes	
H2-32-25-YE1	Yellow	3.2 mm	25 mm	2	2,000	4812	no	yes	
H2-32-50-YE1	Yellow	3.2 mm	50 mm	1	1,000	4814	no	yes	
H2-32-25-WH2	White	3.2 mm	25 mm	2	2,000	4812	yes	yes	
H2-32-50-WH2	White	3.2 mm	50 mm	1	1,000	4814	yes	yes	
H2-32-25-YE2	Yellow	3.2 mm	25 mm	2	2,000		yes	yes	4812
H2-32-50-YE2	Yellow	3.2 mm	50 mm	1	1,000	4814	yes	yes	
H2-32-WH3	White	3.2 mm	20000 mm		1	7010	yes		
H2-32-WH3-100	White	3.2 mm	100000 mm		1	7010	yes		
H2-32-YE3	Yellow	3.2 mm	20000 mm		1	7010	yes		
H2-32-YE3-100	Yellow	3.2 mm	100000 mm		1	7010	yes		

H2-48

Minimum outside diameter	2.8 mm
Maximum outside diameter	4.2 mm
Minimum section	1 mm ²
Maximum section	2.5 mm ²



Type	Colour	Diameter pre-shrinkage	Length	Precut	Quantity per sheet	Printable on both sides	SWcode	Pack qty
H2-48-12.5-WH1	White	4.8 mm	12.5 mm	yes	4	no	4820	4,000
H2-48-25-WH1	White	4.8 mm	25 mm	yes	2	no	4822	2,000
H2-48-50-WH1	White	4.8 mm	50 mm	yes	1	no	4824	1,000
H2-48-12.5-YE1	Yellow	4.8 mm	12.5 mm	yes	4	no	4820	4,000
H2-48-25-YE1	Yellow	4.8 mm	25 mm	yes	2	no	4822	2,000
H2-48-50-YE1	Yellow	4.8 mm	50 mm	yes	1	no	4824	1,000
H2-48-25-WH2	White	4.8 mm	25 mm		2	yes	4822	2,000
H2-48-50-WH2	White	4.8 mm	50 mm		1	yes	4824	1,000
H2-48-25-YE2	Yellow	4.8 mm	25 mm		2	yes	4822	2,000
H2-48-50-YE2	Yellow	4.8 mm	50 mm		1	yes	4824	1,000
H2-48-WH3	White	4.8 mm	20000 mm			yes	7020	1
H2-48-WH3-100	White	4.8 mm	100000 mm			yes	7020	1
H2-48-YE3	Yellow	4.8 mm	20000 mm			yes	7020	1
H2-48-YE3-100	Yellow	4.8 mm	100000 mm			yes	7020	1

H2-64

Minimum outside diameter	4.2 mm
Maximum outside diameter	5.8 mm
Minimum section	4 mm ²
Maximum section	6 mm ²



Type	Colour	Diameter pre-shrinkage	Length	Precut	Quantity per sheet	Printable on both sides	SWcode	Pack qty
H2-64-12.5-WH1	White	6.4 mm	12.5 mm	yes	4	no	4830	4,000
H2-64-25-WH1	White	6.4 mm	25 mm	yes	2	no	4832	2,000
H2-64-50-WH1	White	6.4 mm	50 mm	yes	1	no	4834	1,000
H2-64-12.5-YE1	Yellow	6.4 mm	12.5 mm	yes	4	no	4830	4,000
H2-64-25-YE1	Yellow	6.4 mm	25 mm	yes	2	no	4832	2,000
H2-64-50-YE1	Yellow	6.4 mm	50 mm	yes	1	no	4834	1,000
H2-64-25-WH2	White	6.4 mm	25 mm		2	yes	4832	2,000
H2-64-50-WH2	White	6.4 mm	50 mm		1	yes	4834	1,000
H2-64-25-YE2	Yellow	6.4 mm	25 mm		2	yes	4832	2,000
H2-64-50-YE2	Yellow	6.4 mm	50 mm		1	yes	4834	1,000
H2-64-WH3	White	6.4 mm	20000 mm			yes	7030	1
H2-64-WH3-100	White	6.4 mm	100000 mm			yes	7030	1
H2-64-YE3	Yellow	6.4 mm	20000 mm			yes	7030	1
H2-64-YE3-100	Yellow	6.4 mm	100000 mm			yes	7030	1

H2-95

Minimum outside diameter	5.8 mm
Maximum outside diameter	8 mm
Minimum section	10 mm ²
Maximum section	16 mm ²



Type	Colour	Diameter pre-shrinkage	Length	Precut	Quantity per sheet	Printable on both sides	SWcode	Pack qty
H2-95-12.5-WH1	White	9.5 mm	12.5 mm	yes	4	no	4840	2,000
H2-95-25-WH1	White	9.5 mm	25 mm	yes	2	no	4842	1,000
H2-95-50-WH1	White	9.5 mm	50 mm	yes	1	no	4844	500
H2-95-12.5-YE1	Yellow	9.5 mm	12.5 mm	yes	4	no	4840	2,000
H2-95-25-YE1	Yellow	9.5 mm	25 mm	yes	2	no	4842	1,000
H2-95-50-YE1	Yellow	9.5 mm	50 mm	yes	1	no	4844	500
H2-95-25-WH2	White	9.5 mm	25 mm		2	yes	4842	1,000
H2-95-50-WH2	White	9.5 mm	50 mm		1	yes	4844	500
H2-95-25-YE2	Yellow	9.5 mm	25 mm		2	yes	4842	1,000
H2-95-50-YE2	Yellow	9.5 mm	50 mm		1	yes	4844	500
H2-95-WH3	White	9.5 mm	15000 mm			yes	7040	1
H2-95-WH3-100	White	9.5 mm	100000 mm			yes	7040	1
H2-95-YE3	Yellow	9.5 mm	15000 mm			yes	7040	1
H2-95-YE3-100	Yellow	9.5 mm	100000 mm			yes	7040	1

H2-127

Minimum outside diameter	8 mm
Maximum outside diameter	11 mm
Minimum section	25 mm ²
Maximum section	35 mm ²



Type	Colour	Diameter pre-shrinkage	Length	Precut	Quantity per sheet	Printable on both sides	SWcode	Pack qty
H2-127-50-WH1	White	12.7 mm	50 mm	yes	1	no	4854	500
H2-127-50-YE1	Yellow	12.7 mm	50 mm	yes	1	no	4854	500
H2-127-25-WH2	White	12.7 mm	25 mm		2	yes	4852	1,000
H2-127-50-WH2	White	12.7 mm	50 mm		1	yes	4854	500
H2-127-25-YE2	Yellow	12.7 mm	25 mm		2	yes	4852	1,000
H2-127-50-YE2	Yellow	12.7 mm	50 mm		1	yes	4854	500
H2-127-WH3	White	12.7 mm	15000 mm			yes	7050	1
H2-127-WH3-100	White	12.7 mm	100000 mm			yes	7050	1
H2-127-YE3	Yellow	12.7 mm	15000 mm			yes	7050	1
H2-127-YE3-100	Yellow	12.7 mm	100000 mm			yes	7050	1

H2-190

Minimum outside diameter	11 mm
Maximum outside diameter	17 mm
Minimum section	35 mm ²
Maximum section	50 mm ²



Type	Colour	Diameter pre-shrinkage	Length	Precut	Quantity per sheet	Printable on both sides	SWcode	Pack qty
H2-190-50-WH1	White	19.1 mm	50 mm	yes	1	no	4864	500
H2-190-50-YE1	Yellow	19.1 mm	50 mm	yes	1	no	4864	500
H2-190-25-WH2	White	19.1 mm	25 mm		2	yes	4862	1,000
H2-190-50-WH2	White	19.1 mm	50 mm		1	yes	4864	500
H2-190-25-YE2	Yellow	19.1 mm	25 mm		2	yes	4862	1,000
H2-190-50-YE2	Yellow	19.1 mm	50 mm		1	yes	4864	500
H2-190-WH3	White	19.1 mm	15000 mm			yes	7060	1
H2-190-WH3-100	White	19.1 mm	100000 mm			yes	7060	1
H2-190-YE3	Yellow	19.1 mm	15000 mm			yes	7060	1
H2-190-YE3-100	Yellow	19.1 mm	100000 mm			yes	7060	1

H2-254

Minimum outside diameter	17 mm
Maximum outside diameter	23 mm
Minimum section	50 mm ²
Maximum section	120 mm ²



Type	Colour	Diameter pre-shrinkage	Length	Precut	Quantity per sheet	Printable on both sides	SWcode	Pack qty
H2-254-50-WH1	White	25.4 mm	50 mm	yes	1	no	4874	300
H2-254-50-YE1	Yellow	25.4 mm	50 mm	yes	1	no	4874	300
H2-254-25-WH2	White	25.4 mm	25 mm		2	yes	4872	600
H2-254-50-WH2	White	25.4 mm	50 mm		1	yes	4874	300
H2-254-25-YE2	Yellow	25.4 mm	25 mm		2	yes	4872	600
H2-254-50-YE2	Yellow	25.4 mm	50 mm		1	yes	4874	300
H2-254-WH3	White	25.4 mm	15000 mm			yes	7070	1
H2-254-WH3-100	White	25.4 mm	100000 mm			yes	7070	1
H2-254-YE3	Yellow	25.4 mm	15000 mm			yes	7070	1
H2-254-YE3-100	Yellow	25.4 mm	100000 mm			yes	7070	1

H2-381

Minimum outside diameter	23 mm
Maximum outside diameter	36 mm
Minimum section	120 mm ²
Maximum section	240 mm ²
Printable on both sides	yes



Type	Colour	Diameter pre-shrinkage	Length	Precut	Quantity per sheet	SWcode	Pack qty
H2-381-50-YE1	Yellow	38.1 mm	50 mm	yes	1	4884	300
H2-381-50-WH1	White	38.1 mm	50 mm	yes	1	4884	300
H2-381-25-WH2	White	38.1 mm	25 mm		2	4882	100
H2-381-25-YE2	Yellow	38.1 mm	25 mm		2	4882	100
H2-381-50-WH2	White	38.1 mm	50 mm		1	4884	200
H2-381-50-YE2	Yellow	38.1 mm	50 mm		1	4884	200
H2-381-WH3	White	38.1 mm	15000 mm			7080	1
H2-381-YE3	Yellow	38.1 mm	15000 mm			7080	1
H2-381-WH3-60	White	38.1 mm	60000 mm			7080	1
H2-381-YE3-60	Yellow	38.1 mm	60000 mm			7080	1

H2-508

Minimum outside diameter	23 mm
Maximum outside diameter	48 mm
Minimum section	240 mm ²
Maximum section	400 mm ²



Type	Colour	Diameter pre-shrinkage	Length	Precut	Quantity per sheet	Printable on both sides	SWcode	Pack qty
H2-508-50-WH1	White	50.8 mm	50 mm	yes	1	no	4894	100
H2-508-50-WH2	White	50.8 mm	50 mm		1	yes	4894	100
H2-508-50-YE2	Yellow	50.8 mm	50 mm		1	yes	5894	100
H2-508-WH3	White	50.8 mm	15000 mm			yes	7090	1
H2-508-WH3-60	White	50.8 mm	60000 mm			yes	7090	1
H2-508-YE3	Yellow	50.8 mm	15000 mm			yes	7090	1
H2-508-YE3-60	Yellow	50.8 mm	60000 mm			yes	7090	1