


HEAT-SHRINKABLE TUBING TERMO-ROLL M2

on reel, pre-cut




M2 type heat-shrinkable tubing is used to provide highly legible and resistant identification of cables, pipes, conduits, etc within a minimum space. Halogen free composition provides flame retardancy and low smoke emission characteristics suitable for many types of application requiring more restrictive safety standards to be met.



HEAT- SHRINKABLE TUBING TERMO-ROLL M2

Technical characteristics

Material	Cross-linked polyolefin
Min operating temperature range	-40 °C
Max operating temperature range	125 °C
Shrinkage ratio	2:1
Min shrinkage ratio temperature	70 °C
Halogen Free	yes



HEAT- SHRINKABLE TUBING TERMO-ROLL M2

List of products

TERMO-ROLL M2

Products used together

Printers

Thermal transfer printer ROLLY2000TR1 990980 - ROLLY2000TR1 990980

M2-24

Minimum outside diameter	1.6 mm
Maximum outside diameter	2 mm
Minimum section	0.25 mm ²
Maximum section	0.5 mm ²
Printable on both sides	yes



Type	Length	Quantity per sheet	Diameter pre-shrinkage	Pack qty	SWcode	Colour
M2-24-25-WH2	25 mm	2	2.4 mm	2,000	4802	White
M2-24-50-WH2	50 mm	1	2.4 mm	1,000	4804	White
M2-24-25-YE2	25 mm	2	2.4 mm	2,000	4802	Yellow
M2-24-50-YE2	50 mm	1	2.4 mm	1,000	4804	Yellow
M2-24-WH3	20000 mm		2.4 mm	1	7000	White
M2-24-WH3-50	50000 mm		2.4 mm	1	7000	White
M2-24-YE3	20000 mm		2.4 mm	1	7000	Yellow
M2-24-YE3-50	50000 mm		2.4 mm	1	7000	Yellow

M2-32

Minimum outside diameter	1.8 mm
Maximum outside diameter	2.8 mm
Minimum section	0.5 mm ²
Maximum section	1 mm ²



Type	Length	Quantity per sheet	Diameter pre-shrinkage	Pack qty	SWcode	Colour	No. rows	Precut	Printable on both sides
M2-32-12.5-WH1	12.5 mm	4	3.2 mm	4,000	4810	White	4	yes	no
M2-32-25-WH1	25 mm	2	3.2 mm	2,000	4812	White	2	yes	no
M2-32-50-WH1	50 mm	1	3.2 mm	1,000	4814	White	1	yes	no
M2-32-12.5-YE1	12.5 mm	4	3.2 mm	4,000	4810	Yellow	4	yes	no
M2-32-25-YE1	25 mm	2	3.2 mm	2,000	4812	Yellow	2	yes	no
M2-32-50-YE1	50 mm	1	3.2 mm	1,000	4814	Yellow	1	yes	no
M2-32-25-WH2	25 mm	2	3.2 mm	2,000	4812	White	2		yes
M2-32-50-WH2	50 mm	1	3.2 mm	1,000	4814	White	1		yes
M2-32-25-YE2	25 mm	2	3.2 mm	2,000	4812	Yellow	2		yes
M2-32-50-YE2	50 mm	1	3.2 mm	1,000	4814	Yellow	1		yes
M2-32-WH3	20000 mm		3.2 mm	1	7010	White			yes
M2-32-WH3-100	100000 mm		3.2 mm	1	7010	White			yes
M2-32-YE3	20000 mm		3.2 mm	1	7010	Yellow			yes
M2-32-YE3-100	100000 mm		3.2 mm	1	7010	Yellow			yes

M2-48

Minimum outside diameter	2.8 mm
Maximum outside diameter	4.2 mm
Minimum section	1 mm ²
Maximum section	2.5 mm ²



Type	Length	Quantity per sheet	Diameter pre-shrinkage	Pack qty	SWcode	Colour	Precut	Printable on both sides
M2-48-12.5-WH1	12.5 mm	4	4.8 mm	4,000	4820	White	yes	no
M2-48-25-WH1	25 mm	2	4.8 mm	2,000	4822	White	yes	no
M2-48-50-WH1	50 mm	1	4.8 mm	1,000	4824	White	yes	no
M2-48-12.5-YE1	12.5 mm	4	4.8 mm	4,000	4820	Yellow	yes	no
M2-48-25-YE1	25 mm	2	4.8 mm	2,000	4822	Yellow	yes	no
M2-48-50-YE1	50 mm	1	4.8 mm	1,000	4824	Yellow	yes	no
M2-48-25-WH2	25 mm	2	4.8 mm	2,000	4822	White		yes
M2-48-50-WH2	50 mm	1	4.8 mm	1,000	4824	White		yes
M2-48-25-YE2	25 mm	2	4.8 mm	2,000	4822	Yellow		yes
M2-48-50-YE2	50 mm	1	4.8 mm	1,000	4824	Yellow		yes
M2-48-WH3	20000 mm		4.8 mm	1	7020	White		yes
M2-48-WH3-100	100000 mm		4.8 mm	1	7020	White		yes
M2-48-YE3	20000 mm		4.8 mm	1	7020	Yellow		yes
M2-48-YE3-100	100000 mm		4.8 mm	1	7020	Yellow		yes

M2-64

Minimum outside diameter	4.2 mm
Maximum outside diameter	5.8 mm
Minimum section	4 mm ²
Maximum section	6 mm ²



Type	Length	Quantity per sheet	Diameter pre-shrinkage	Pack qty	SWcode	Colour	Precut	Printable on both sides
M2-64-12.5-WH1	12.5 mm	4	6.4 mm	4,000	4830	White	yes	no
M2-64-25-WH1	25 mm	2	6.4 mm	2,000	4832	White	yes	no
M2-64-50-WH1	50 mm	1	6.4 mm	1,000	4834	White	yes	no
M2-64-12.5-YE1	12.5 mm	4	6.4 mm	4,000	4830	Yellow	yes	no
M2-64-25-YE1	25 mm	2	6.4 mm	2,000	4832	Yellow	yes	no
M2-64-50-YE1	50 mm	1	6.4 mm	1,000	4834	Yellow	yes	no
M2-64-25-WH2	25 mm	2	6.4 mm	2,000	4832	White		yes
M2-64-50-WH2	50 mm	1	6.4 mm	1,000	4834	White		yes
M2-64-25-YE2	25 mm	2	6.4 mm	2,000	4832	Yellow		yes
M2-64-50-YE2	50 mm	1	6.4 mm	1,000	4834	Yellow		yes
M2-64-WH3	20000 mm		6.4 mm	1	7030	White		yes
M2-64-WH3-100	100000 mm		6.4 mm	1	7030	White		yes
M2-64-YE3	20000 mm		6.4 mm	1	7030	Yellow		yes
M2-64-YE3-100	100000 mm		6.4 mm	1	7030	Yellow		yes

M2-95

Minimum outside diameter	5.8 mm
Maximum outside diameter	8 mm
Minimum section	10 mm ²
Maximum section	16 mm ²



Type	Length	Quantity per sheet	Diameter pre-shrinkage	Pack qty	SWcode	Colour	Precut	Printable on both sides
M2-95-12.5-WH1	12.5 mm	4	9.5 mm	2,000	4840	White	yes	no
M2-95-25-WH1	25 mm	2	9.5 mm	1,000	4842	White	yes	no
M2-95-50-WH1	50 mm	1	9.5 mm	500	4844	White	yes	no
M2-95-12.5-YE1	12.5 mm	4	9.5 mm	2,000	4840	Yellow	yes	no
M2-95-25-YE1	25 mm	2	9.5 mm	1,000	4842	Yellow	yes	no
M2-95-50-YE1	50 mm	1	9.5 mm	500	4844	Yellow	yes	no
M2-95-25-WH2	25 mm	2	9.5 mm	1,000	4842	White		yes
M2-95-50-WH2	50 mm	1	9.5 mm	500	4844	White		yes
M2-95-25-YE2	25 mm	2	9.5 mm	1,000	4842	Yellow		yes
M2-95-50-YE2	50 mm	1	9.5 mm	500	4844	Yellow		yes
M2-95-WH3	15000 mm		9.5 mm	1	7040	White		yes
M2-95-WH3-100	100000 mm		9.5 mm	1	7040	White		yes
M2-95-YE3	15000 mm		9.5 mm	1	7040	Yellow		yes
M2-95-YE3-100	100000 mm		9.5 mm	1	7040	Yellow		yes

M2-127

Minimum outside diameter	8 mm
Maximum outside diameter	11 mm
Minimum section	25 mm ²
Maximum section	35 mm ²



Type	Length	Quantity per sheet	Diameter pre-shrinkage	Pack qty	SWcode	Colour	Precut	Printable on both sides
M2-127-25-WH1	25 mm	2	12.7 mm	1,000	4852	White	yes	no
M2-127-50-WH1	50 mm	1	12.7 mm	500	4854	White	yes	no
M2-127-25-YE1	25 mm	2	12.7 mm	1,000	4852	Yellow	yes	no
M2-127-50-YE1	50 mm	1	12.7 mm	500	4854	Yellow	yes	no
M2-127-25-WH2	25 mm	2	12.7 mm	1,000	4852	White		yes
M2-127-50-WH2	50 mm	1	12.7 mm	500	4854	White		yes
M2-127-25-YE2	25 mm	2	12.7 mm	1,000	4852	Yellow		yes
M2-127-50-YE2	50 mm	1	12.7 mm	500	4854	Yellow		yes
M2-127-WH3	15000 mm		12.7 mm	1	7050	White		yes
M2-127-WH3-100	100000 mm		12.7 mm	1	7050	White		yes
M2-127-YE3	15000 mm		12.7 mm	1	7050	Yellow		yes
M2-127-YE3-100	100000 mm		12.7 mm	1	7050	Yellow		yes

M2-190

Minimum outside diameter	11 mm
Maximum outside diameter	17 mm
Minimum section	35 mm ²
Maximum section	50 mm ²



Type	Length	Quantity per sheet	Diameter pre-shrinkage	Pack qty	SWcode	Colour	Precut	Printable on both sides
M2-190-25-WH1	25 mm	2	19.1 mm	1,000	4862	White	yes	no
M2-190-50-WH1	50 mm	1	19.1 mm	500	4864	White	yes	no
M2-190-25-YE1	25 mm	2	19.1 mm	1,000	4862	Yellow	yes	no
M2-190-50-YE1	50 mm	1	19.1 mm	500	4864	Yellow	yes	no
M2-190-25-WH2	25 mm	2	19.1 mm	1,000	4862	White		yes
M2-190-50-WH2	50 mm	1	19.1 mm	500	4864	White		yes
M2-190-25-YE2	25 mm	2	19.1 mm	1,000	4862	Yellow		yes
M2-190-50-YE2	50 mm	1	19.1 mm	500	4864	Yellow		yes
M2-190-WH3	15000 mm		19.1 mm	1	7060	White		yes
M2-190-WH3-100	100000 mm		19.1 mm	1	7060	White		yes
M2-190-YE3	15000 mm		19.1 mm	1	7060	Yellow		yes
M2-190-YE3-100	100000 mm		19.1 mm	1	7060	Yellow		yes

M2-254

Minimum outside diameter	17 mm
Maximum outside diameter	23 mm
Minimum section	50 mm ²
Maximum section	120 mm ²



Type	Length	Quantity per sheet	Diameter pre-shrinkage	Pack qty	SWcode	Colour	Precut	Printable on both sides
M2-254-25-WH1	25 mm	2	25.4 mm	600	4872	White	yes	no
M2-254-50-WH1	50 mm	1	25.4 mm	300	4874	White	yes	no
M2-254-25-YE1	25 mm	2	25.4 mm	600	4872	Yellow	yes	no
M2-254-50-YE1	50 mm	1	25.4 mm	300	4874	Yellow	yes	no
M2-254-25-WH2	25 mm	2	25.4 mm	600	4872	White		yes
M2-254-50-WH2	50 mm	1	25.4 mm	300	4874	White		yes
M2-254-25-YE2	25 mm	2	25.4 mm	600	4872	Yellow		yes
M2-254-50-YE2	50 mm	1	25.4 mm	300	4874	Yellow		yes
M2-254-WH3	15000 mm		25.4 mm	1	7070	White		yes
M2-254-WH3-100	100000 mm		25.4 mm	1	7070	White		yes
M2-254-YE3	15000 mm		25.4 mm	1	7070	Yellow		yes
M2-254-YE3-100	100000 mm		25.4 mm	1	7070	Yellow		yes

M2-381

Minimum outside diameter	23 mm
Maximum outside diameter	36 mm
Minimum section	120 mm ²
Maximum section	240 mm ²
Printable on both sides	yes



Type	Length	Quantity per sheet	Diameter pre-shrinkage	Pack qty	SWcode	Colour
M2-381-25-WH2	25 mm	2	38.1 mm	100	4882	White
M2-381-50-WH2	50 mm	1	38.1 mm	200	4884	White
M2-381-25-YE2	25 mm	2	38.1 mm	100	4882	Yellow
M2-381-50-YE2	50 mm	1	38.1 mm	200	4884	Yellow
M2-381-WH3	15000 mm		38.1 mm	1	7080	White
M2-381-WH3-60	60000 mm		38.1 mm	1	7080	White
M2-381-YE3	15000 mm		38.1 mm	1	7080	Yellow
M2-381-YE3-60	60000 mm		38.1 mm	1	7080	Yellow

M2-508



Type	Length	Minimum outside diameter	Maximum outside diameter	Diameter pre-shrinkage	Minimum section	Maximum section	Pack qty	SWcode	Colour	Printable on both sides
M2-508-WH3	15000 mm	27 mm	49 mm	50.8 mm	240 mm ²	400 mm ²	1	7090	White	yes
M2-508-WH3-60	60000 mm	27 mm	49 mm	50.8 mm	240 mm ²	400 mm ²	1	7090	White	yes
M2-508-YE3	15000 mm	27 mm	49 mm	50.8 mm	240 mm ²	400 mm ²	1	7090	Yellow	yes
M2-508-YE3-60	60000 mm	27 mm	49 mm	50.8 mm	240 mm ²	400 mm ²	1	7090	Yellow	yes