

MANDATORY SIGNS MS

PVC film, on sheet

Circular symbol with white border and pictogram on blue background. Used to indicate that specific behaviour or actions are mandatory, and to instruct operators to wear personal safety equipment.



CERTIFICATES 



2011/65/EU

MANDATORY SIGNS MS

Technical characteristics

Min operating temperature range	-30 °C
Max operating temperature range	80 °C
Material	PVC film



MANDATORY SIGNS MS

List of products

MS-WG

Meaning of the symbol Protect the eyes
 Geometric shape circular
 Adhesive yes

Type	Diameter	Quantity per sheet	Pack qty
MS-WG 220001	50 mm	3	30
MS-WG 220003	100 mm	2	10

MS-WH

Meaning of the symbol Protect the head
 Geometric shape circular
 Adhesive yes

Type	Diameter	Quantity per sheet	Pack qty
MS-WH 220101	50 mm	3	30
MS-WH 220103	100 mm	2	10

MS-WD

Meaning of the symbol Protect hearing
 Geometric shape circular
 Adhesive yes

Type	Diameter	Quantity per sheet	Pack qty
MS-WD 220201	50 mm	3	30
MS-WD 220203	100 mm	2	10

MS-CG

Meaning of the symbol Wear safety gloves
 Geometric shape circular
 Adhesive yes

Type	Diameter	Pack qty	Quantity per sheet
MS-CG 220901	50 mm	30	3
MS-CG 220903	100 mm	10	2

MS-PD

Meaning of the symbol This way only
 Geometric shape circular
 Adhesive yes

Type	Diameter	Quantity per sheet	Pack qty
MS-PD 223201	50 mm	3	30
MS-PD 223203	100 mm	2	10