

# CLOSE END CONNECTORS NL-P

*Polyamide PA6.6 insulated*

Manufactured from copper tube  
Electrolytically tin plated



---

CERTIFICATES 




2011/65/EU

# CLOSE END CONNECTORS NL-P

## *Technical characteristics*

Min operating temperature range	-20 °C
Max operating temperature range	115 °C
Max operating temperature range (surge)	130 °C
Material (Body)	ETP Copper electrolytically tinned
Material (Insulated)	Polyamide PA6.6



# CLOSE END CONNECTORS NL-P

## List of products

**NL-P** Cable type: copper, Minimum section: 0.25 mm<sup>2</sup>, Maximum section: 1.5 mm<sup>2</sup>



Type	Colour	Ø	L	Pack qty	Min. pack qty	
NL03-P	White	7.9 mm	21 mm	1,000	100	

### Products used together

#### Tools

**MECHANICAL CRIMPING TOOLS CRIMPSTAR - HPH1**

**NL-P** Cable type: flexible copper, Minimum section: 0.25 mm<sup>2</sup>, Maximum section: 1.5 mm<sup>2</sup>



Type	Colour	Ø	L	Pack qty	Min. pack qty	
NL03-P	White	7.9 mm	21 mm	1,000	100	

### Products used together

#### Tools

**MECHANICAL CRIMPING TOOLS CRIMPSTAR - HPH1**

**NL-P** Cable type: copper, Minimum section: 1.5 mm<sup>2</sup>, Maximum section: 2.5 mm<sup>2</sup>



Type	Colour	Ø	L	Pack qty	Min. pack qty	
NL06-P	White	7.9 mm	19.9 mm	1,000	100	
NL06-PB	Blue	6.5 mm	13.6 mm	1,500	100	

*Products used together*

**Tools**

**MECHANICAL CRIMPING TOOLS CRIMPSTAR - HPH1**

**NL-P** Cable type: flexible copper, Minimum section: 1.5 mm<sup>2</sup>, Maximum section: 2.5 mm<sup>2</sup>



Type	Colour	Ø	L	Pack qty	Min. pack qty	
NL06-P	White	7.9 mm	19.9 mm	1,000	100	
NL06-PB	Blue	6.5 mm	13.6 mm	1,500	100	

*Products used together*

**Tools**

**MECHANICAL CRIMPING TOOLS CRIMPSTAR - HPH1**

**NL-P** Cable type: copper, Minimum section: 4 mm<sup>2</sup>, Maximum section: 6 mm<sup>2</sup>



Type	Colour	Ø	L	Pack qty	Min. pack qty	
NL1-P	White	10.5 mm	21.5 mm	800	100	
NL1-PG	Yellow	9 mm	17.8 mm	1,000	100	

*Products used together*

**Tools**

**MECHANICAL CRIMPING TOOLS CRIMPSTAR - HPH1**

**NL-P** Cable type: flexible copper, Minimum section: 4 mm<sup>2</sup>, Maximum section: 6 mm<sup>2</sup>



Type	Colour	Ø	L	Pack qty	Min. pack qty	
NL1-P	White	10.5 mm	21.5 mm	800	100	
NL1-PG	Yellow	9 mm	17.8 mm	1,000	100	

*Products used together*

**Tools**

**MECHANICAL CRIMPING TOOLS CRIMPSTAR - HPH1**