

MALE CONNECTORS RN-MA

Open barrel

Manufactured from brass strip




CERTIFICATES 

 BT 2006/95 CE

MALE CONNECTORS RN-MA

Technical characteristics


Material (Body)	Brass
Dimensional form	Male terminal
Min operating temperature range	-40 °C
Max operating temperature range	125 °C



MALE CONNECTORS RN-MA


List of products

RN-MA Cable type: copper, Minimum section: 0.5 mm², Maximum section: 1 mm²



Type	L	M	Width	Height of the hooked	Pack qty	Min. pack qty
RN-MA305	13 mm	5.8 mm	2.8 mm	0.5 mm	6,000	100
RN-MA405	17.3 mm	6.3 mm	4.8 mm	0.5 mm	5,000	100
RN-MA608	19.7 mm	7.9 mm	6.35 mm	0.8 mm	4,000	100

RN-MA Cable type: flexible copper, Minimum section: 0.5 mm², Maximum section: 1 mm²



Type	L	M	Width	Height of the hooked	Pack qty	Min. pack qty
RN-MA305	13 mm	5.8 mm	2.8 mm	0.5 mm	6,000	100
RN-MA405	17.3 mm	6.3 mm	4.8 mm	0.5 mm	5,000	100
RN-MA608	19.7 mm	7.9 mm	6.35 mm	0.8 mm	4,000	100