

UNINSULATED END SLEEVES KE

for flexible copper cables

KE series end sleeves are manufactured from tin plated electrolytic copper.
Designed and developed for use with flexible cables.



CERTIFICATES 




2011/65/EU

UNINSULATED END SLEEVES **KE**

Technical characteristics

Material (Body)


ETP Copper electrolytically tinned



UNINSULATED END SLEEVES KE


List of products

KE Cable type: flexible copper, Maximum section: 0.5 mm²




Type	Ø	L	C	Pack qty	Min. pack qty
KE506ST	1 mm	6 mm	1.9 mm	50,000	500
KE508ST	1 mm	8 mm	1.9 mm	50,000	500

KE Cable type: flexible copper, Maximum section: 0.75 mm²




Type	Ø	L	C	Pack qty	Min. pack qty
KE7506ST	1.2 mm	6 mm	2.2 mm	40,000	500
KE7508ST	1.2 mm	8 mm	2.2 mm	50,000	500

KE Cable type: flexible copper, Maximum section: 1 mm²




Type	Ø	L	C	Pack qty	Min. pack qty
KE106ST	1.4 mm	6 mm	2.4 mm	25,000	500
KE110ST	1.4 mm	10 mm	2.4 mm	25,000	500


KE Cable type: flexible copper, Maximum section: 1.5 mm²




Type	Ø	L	C	Pack qty	Min. pack qty
KE1510ST	1.7 mm	10 mm	2.8 mm	25,000	500
KE1508ST	1.7 mm	8 mm	2.8 mm	25,000	500

KE Cable type: flexible copper, Maximum section: 2.5 mm²



Type	Ø	L	C	Pack qty	Min. pack qty
KE2508ST	2.2 mm	8 mm	3.4 mm	20,000	500
KE2510ST	2.2 mm	10 mm	3.4 mm	15,000	500

KE Cable type: flexible copper, Maximum section: 4 mm²



Type	Ø	L	C	Pack qty	Min. pack qty
KE410ST	2.8 mm	10 mm	4 mm	12,500	500
KE412ST	2.8 mm	12 mm	4 mm	10,000	500

KE Cable type: flexible copper, Maximum section: 6 mm²



Type	Ø	L	C	Pack qty	Min. pack qty
KE610ST	3.5 mm	10 mm	4.7 mm	10,000	500
KE612ST	3.5 mm	12 mm	4.7 mm	7,500	500
KE616ST	3.5 mm	15 mm	4.7 mm	5,000	500

KE Cable type: flexible copper, Maximum section: 10 mm²



Type	Ø	L	C	Pack qty	Min. pack qty
KE1016ST	4.5 mm	15 mm	5.8 mm	4,000	250

KE Cable type: flexible copper, Maximum section: 16 mm²


Type	Ø	L	C	Pack qty	Min. pack qty
KE1616ST	5.8 mm	15 mm	7.5 mm	3,000	250

KE Cable type: flexible copper, Maximum section: 25 mm²


Type	∅	L	C	Pack qty	Min. pack qty
KE25015ST	7.3 mm	15 mm	9.5 mm	1,500	100
KE25018ST	7.3 mm	18 mm	9.5 mm	1,500	100

KE Cable type: flexible copper, Maximum section: 35 mm²


Type	∅	L	C	Pack qty	Min. pack qty
KE35012ST	8.3 mm	12 mm	10.5 mm	1,500	100
KE35018ST	8.3 mm	18 mm	10.5 mm	1,000	100
KE35015ST	8.3 mm	16 mm	10.5 mm	1,500	100