

SINGLE POLE TERMINAL BLOCKS **Z35**

indirect clamping
nominal section 35 sqmm

3, 4, 6, and 11 way, single pole terminal blocks.
Ideal for use as an equipotential bonding connector for both
industrial and domestic use.



CERTIFICATES 



CEI EN 60998-1



CEI 23-21



EN 60998-1



EN 60998-2-1

SINGLE POLE TERMINAL BLOCKS **Z35**

Technical characteristics



Easy entry	yes
UL94 class	V0
IP protection	20
Halogen Free	yes
Impulse voltage	450 V
Max application temperature	85 °C
Material (Body)	Polycarbonate
Material (Clamps)	Electroplated galvanized steel
Material (Connection plate)	ETP Copper electrolytically tinned





SINGLE POLE TERMINAL BLOCKS Z35

List of products



Z35 Cable type: flexible copper, Minimum section: 2.5 mm², Maximum section: 2.5 mm²

Type	Height	Width	Length	No. hole	Pack qty	Weight	Clamp for DIN	
Z35-6	43 mm	83 mm	41 mm	6	8	130 g		
Z35-6D	52 mm	83 mm	49 mm	6	5	140 g	yes	

Z35 Cable type: flexible copper, Minimum section: 4 mm², Maximum section: 4 mm²

Type	Height	Width	Length	No. hole	Pack qty	Weight	Clamp for DIN	
Z35-6	43 mm	83 mm	41 mm	6	8	130 g		
Z35-6D	52 mm	83 mm	49 mm	6	5	140 g	yes	

Z35 Cable type: copper, Minimum section: 4 mm², Maximum section: 4 mm²

Type	Height	Width	Length	No. hole	Pack qty	Weight	Clamp for DIN	
Z35-6	43 mm	83 mm	41 mm	6	8	130 g		
Z35-6D	52 mm	83 mm	49 mm	6	5	140 g	yes	

Z35 Cable type: flexible copper, Minimum section: 6 mm², Maximum section: 6 mm²

Type	Height	Width	Length	No. hole	Pack qty	Weight	Clamp for DIN	
Z35-3	42 mm	53 mm	48.5 mm	3	10	110 g		
Z35-3D	48 mm	53 mm	50 mm	3	5	114 g	yes	
Z35-4	42 mm	37 mm	85 mm	4	5	129 g		
Z35-4D	48 mm	37 mm	85 mm	4	5	133 g	yes	
Z35-6	43 mm	83 mm	41 mm	6	8	130 g		
Z35-6D	52 mm	83 mm	49 mm	6	5	140 g	yes	

Z35 Cable type: copper, Minimum section: 6 mm², Maximum section: 6 mm²

Type	Height	Width	Length	No. hole	Pack qty	Weight	Clamp for DIN	
Z35-3	42 mm	53 mm	48.5 mm	3	10	110 g		
Z35-3D	48 mm	53 mm	50 mm	3	5	114 g	yes	
Z35-6	43 mm	83 mm	41 mm	6	8	130 g		
Z35-6D	52 mm	83 mm	49 mm	6	5	140 g	yes	

Z35 Cable type: copper, Minimum section: 10 mm², Maximum section: 10 mm²

Type	Height	Width	Length	No. hole	Pack qty	Weight	Clamp for DIN	
Z35-3	42 mm	53 mm	48.5 mm	3	10	110 g		
Z35-3D	48 mm	53 mm	50 mm	3	5	114 g	yes	
Z35-6	43 mm	83 mm	41 mm	6	8	130 g		
Z35-6D	52 mm	83 mm	49 mm	6	5	140 g	yes	

Z35 Cable type: flexible copper, Minimum section: 10 mm², Maximum section: 10 mm²

Type	Height	Width	Length	No. hole	Pack qty	Weight	Clamp for DIN	
Z35-3	42 mm	53 mm	48.5 mm	3	10	110 g		
Z35-3D	48 mm	53 mm	50 mm	3	5	114 g	yes	
Z35-4	42 mm	37 mm	85 mm	4	5	129 g		
Z35-4D	48 mm	37 mm	85 mm	4	5	133 g	yes	
Z35-6	43 mm	83 mm	41 mm	6	8	130 g		
Z35-6D	52 mm	83 mm	49 mm	6	5	140 g	yes	

Z35 Cable type: copper, Minimum section: 16 mm², Maximum section: 16 mm²

Type	Height	Width	Length	No. hole	Pack qty	Weight	Clamp for DIN	
Z35-3	42 mm	53 mm	48.5 mm	3	10	110 g		
Z35-3D	48 mm	53 mm	50 mm	3	5	114 g	yes	
Z35-6	43 mm	83 mm	41 mm	6	8	130 g		
Z35-6D	52 mm	83 mm	49 mm	6	5	140 g	yes	

Z35 Cable type: flexible copper, Minimum section: 16 mm², Maximum section: 16 mm²

Type	Height	Width	Length	No. hole	Pack qty	Weight	Clamp for DIN	
Z35-3	42 mm	53 mm	48.5 mm	3	10	110 g		
Z35-3D	48 mm	53 mm	50 mm	3	5	114 g	yes	
Z35-4	42 mm	37 mm	85 mm	4	5	129 g		
Z35-4D	48 mm	37 mm	85 mm	4	5	133 g	yes	
Z35-6	43 mm	83 mm	41 mm	6	8	130 g		
Z35-6D	52 mm	83 mm	49 mm	6	5	140 g	yes	

Z35 Cable type: copper, Minimum section: 25 mm², Maximum section: 25 mm²

Type	Height	Width	Length	No. hole	Pack qty	Weight	Clamp for DIN	
Z35-3	42 mm	53 mm	48.5 mm	3	10	110 g		
Z35-3D	48 mm	53 mm	50 mm	3	5	114 g	yes	
Z35-6	43 mm	83 mm	41 mm	6	8	130 g		
Z35-6D	52 mm	83 mm	49 mm	6	5	140 g	yes	

Z35 Cable type: flexible copper, Minimum section: 25 mm², Maximum section: 25 mm²

Type	Height	Width	Length	No. hole	Pack qty	Weight	Clamp for DIN	
Z35-3	42 mm	53 mm	48.5 mm	3	10	110 g		
Z35-3D	48 mm	53 mm	50 mm	3	5	114 g	yes	
Z35-4	42 mm	37 mm	85 mm	4	5	129 g		
Z35-4D	48 mm	37 mm	85 mm	4	5	133 g	yes	
Z35-6	43 mm	83 mm	41 mm	6	8	130 g		
Z35-6D	52 mm	83 mm	49 mm	6	5	140 g	yes	

Z35 Cable type: copper, Minimum section: 35 mm², Maximum section: 35 mm²

Type	Height	Width	Length	No. hole	Pack qty	Weight	Clamp for DIN	
Z35-3	42 mm	53 mm	48.5 mm	3	10	110 g		
Z35-3D	48 mm	53 mm	50 mm	3	5	114 g	yes	
Z35-6	43 mm	83 mm	41 mm	6	8	130 g		
Z35-6D	52 mm	83 mm	49 mm	6	5	140 g	yes	

Z35 Cable type: flexible copper, Minimum section: 35 mm², Maximum section: 35 mm²

Type	Height	Width	Length	No. hole	Pack qty	Weight	Clamp for DIN	
Z35-3	42 mm	53 mm	48.5 mm	3	10	110 g		
Z35-3D	48 mm	53 mm	50 mm	3	5	114 g	yes	
Z35-4	42 mm	37 mm	85 mm	4	5	129 g		
Z35-4D	48 mm	37 mm	85 mm	4	5	133 g	yes	
Z35-6	43 mm	83 mm	41 mm	6	8	130 g		
Z35-6D	52 mm	83 mm	49 mm	6	5	140 g	yes	