

## RUTASEAL GROMMETS RS



# RUTASEAL GROMMETS RS

## *Technical characteristics*


Material (Body)	EPDM halogen- free
Colour	Dark Grey RAL 7001
IP protection	67
Min operating temperature range	-40 °C
Max operating temperature range	110 °C



## RUTASEAL GROMMETS RS

### List of products

#### RS



Type	Thread	A	B	C	D	Pack qty	Min. pack qty
RS0407.M12	M12	12.5 mm	0.5 mm	5.6 mm	20 mm	2,000	50
RS0509.M16	M16	16.5 mm	1 mm	11 mm	21 mm	2,000	50
RS0831.M20	M20	20.5 mm	1 mm	13.4 mm	25.5 mm	3,000	50
RS1117.M25	Pg13,5	25.5 mm	1 mm	15.3 mm	30.5 mm	2,000	50
RS1117.M25	Pg13,5	25.5 mm	1 mm	15.3 mm	30.5 mm	2,000	50
RS1520.M32	M32	32.5 mm	1 mm	18.6 mm	38.5 mm	1,000	25
RS1928.M40	M40	40.5 mm	1 mm	21.7 mm	48.5 mm	600	25
RS2735.M50	M50	50.5 mm	1 mm	25 mm	60.5 mm	250	10
RS0305.07	Pg7	12.5 mm	0.5 mm	5.4 mm	20 mm	2,000	50
RS0507.09	Pg9	16 mm	1 mm	10.3 mm	21 mm	2,000	50
RS0710.11	Pg11	19 mm	1 mm	12.7 mm	24 mm	3,000	50
RS1014.16	Pg16	23 mm	1 mm	14.7 mm	28 mm	2,000	50
RS1420.21	Pg21	29 mm	1 mm	17.6 mm	35 mm	1,000	25
RS2026.29	Pg29	38 mm	1 mm	20 mm	46 mm	600	25
RS2635.36	Pg36	48 mm	1 mm	23.9 mm	58 mm	250	10