


FLAT HEAD SCREWDRIVERS SDC

Professional SCREWDRIVERS

	Head type identification codes
	White - Flat head



The Cembre range of insulated screwdrivers have dual-compound handgrips and an ergonomic design making them is particularly practical and comfortable in the following modes of use:

- > Normal
- > Fast
- > Forced

To ensure quick identification, the type and size of the head are indicated in different colours on the back of the handle.




The heads are made from Chromium Molybdenum steel with a hardness of 55-59 HRC and are hardened with Phosphoric Manganese Acid to increase corrosion resistance; the size of the insulating cover allows it to be inserted into tight spaces.

Each individual screwdriver is tested in accordance with **EN 60900**.





CERTIFICATES 

   EN 60900:2004

FLAT HEAD SCREWDRIVERS **SDC**



FLAT HEAD SCREWDRIVERS SDC

List of products

SDC

Type	Width head	Thickness of the tip	Blade Length	Length	Weight	Colour
SDC3X100-KV	3 mm	0.5 mm	100 mm	185 mm	32 g	Black-Blue
SDC3.5X100-KV	3.5 mm	0.6 mm	100 mm	185 mm	35 g	Black-Blue
SDC4X100-KV	4 mm	0.8 mm	100 mm	205 mm	58 g	Black-Blue
SDC5.5X125-KV	5.5 mm	1 mm	125 mm	230 mm	78 g	Black-Blue
SDC6.5X150-KV	6.5 mm	1.2 mm	150 mm	265 mm	115 g	Black-Blue
SDC8X175-KV	8 mm	1.2 mm	175 mm	298 mm	181 g	Black-Blue

Products used together

Accessories

Bag CTSB1

Pouch CTBB1

Storage

- Case VAL GPTA-N

CASE VAL - Chest VAL GPT