

BENCH PRESS TOOLS PNB-4KE

Pneumatic bench press, controlled by a foot operated pedal. Supplied with a multi-aperture die suitable for crimping insulated and uninsulated end sleeves from 0,3 to 10 sqmm. Compact and efficient. Easy to operate, producing a secure and reliable crimped connection.



BENCH PRESS TOOLS PNB-4KE

Technical characteristics

PROPERTIES

Height	300 mm
Width	160 mm
Length	120 mm
Weight	6 kg
Nominal pressure	6 bar
Type of action	Crimp



BENCH PRESS TOOLS PNB-4KE

Products used together

Connectors

POLYPROPYLENE INSULATED END SLEEVES PK

PKC1012	PKC1018	PKC108
PKC112	PKC2508	PKC2512
PKC2518	PKC410	PKC412
PKC418	PKC508	PKC510
PKC612	PKC618	PKC7508
PKC7512	PKD1012	PKD1018
PKD106	PKD108	PKD110
PKD112	PKD2508	PKD2512
PKD2518	PKD410	PKD412
PKD418	PKD506	PKD508
PKD510	PKD612	PKD618
PKD7506	PKD7508	PKD7510
PKD7512	PKE1012	PKE1018
PKE108	PKE1612	PKE1618
PKE2508	PKE2512	PKE2518
PKE410	PKE412	PKE418
PKE508	PKE612	PKE618
PKE7508	PKT1014	PKT108
PKT110	PKT1508	PKT1512
PKT2510	PKT2512	PKT412
PKT508	PKT510	PKT614
PKT7508	PKT7510	

UNINSULATED END SLEEVES KE

KE1016ST	KE106ST	KE110ST
KE1508ST	KE1510ST	KE2508ST
KE2510ST	KE410ST	KE412ST
KE506ST	KE508ST	KE610ST
KE612ST	KE616ST	KE7506ST
KE7508ST		