

# HYDRAULIC CUTTING TOOL HT-TC051

*Max cutting diameter 50 mm*

Hand operated hydraulic tool specifically designed to cut copper, aluminium and telecommunications cables having a max overall diameter of 50 mm.

The tool features a double speed action: a fast advancing speed for rapid approach of the blades to the cable and a slower more powerful speed for cutting.

The blades are manufactured from high strength special steel, heat treated to ensure a long service life. The head can be easily opened to allow the cutting of running cables.

The head can rotate through 90 degrees, to enable the operator to work in the most comfortable position.

HT-TC051 features an automatic safety valve to bypass oil when reaching maximum pressure; a pressure release device can also be operated at any stage of operation.



# HYDRAULIC CUTTING TOOL HT-TC051

## *Technical characteristics*

### PROPERTIES

Type of action	Cutting
Maximum cutting diameter	50 mm
Nominal pressure	700 bar
Width	129 mm
Length	497 mm
Weight	4.38 kg



## HYDRAULIC CUTTING TOOL HT-TC051

*In the same kit*

### Storage

**CASE VAL - Canvas bag 010**

*Products used together*

### Tools

**PRESSURE TEST DEVICE FOR HYDRAULIC PUMPS AND TOOLS MPC1 - MPC1**