

# 18.0 V CORDLESS HYDRAULIC CRIMPING TOOL B35-50MD

Can be operated with one hand.

Balanced for greater control.

Head rotates 180° for ease of operation in confined spaces.

Fitted with a maximum pressure valve.

Extremely quiet, minimal vibration.

Durable moulded body offering high resistance to wear and damage in all operating conditions.

New Li-Ion 18.0V 2.0Ah High Power battery.

The battery is equipped with LED indicators to show the remaining battery life at any time by pressing the adjacent button.

Supplied in a robust plastic case to accommodate the tool and all the accessories.

Two batteries and charger included.

B35-50MD accepts many of the dies common to 50 kN Cembre crimping tools.

B35-50MD specific dies available for crimping 120 mm<sup>2</sup> and 150 mm<sup>2</sup>.



**Operating temperature: -15 à +50 °C**

MAIN APPLICATIONS - max section mm <sup>2</sup>			
L.V. lugs and splices	Insulated terminals	End sleeves	"C" sleeve Connectors
150	50	95	35

*The tool is supplied as:*

- >• *Basic tool with battery and wrist strap*
- >• *Spare battery*
- >• *Battery charger*
- >• *Plastic carrying case suitable for storing the tool and accessories*

# 18.0 V CORDLESS HYDRAULIC CRIMPING TOOL B35-50MD

## *Technical characteristics*

### PROPERTIES

Type of action	Crimp
Force developed	35 kN
Battery material	Li-Ion
Battery voltage	18 V
Battery current	2 Ah
Length	387 mm
Width	81 mm
Height	133 mm
Weight	2.6 kg



# 18.0 V CORDLESS HYDRAULIC CRIMPING TOOL B35-50MD

## *Products used together*

### Connectors

#### A-2M Contained palm

A24B-2M8-25/19                      A24B-2M8-45/19

#### COLOR CODED COPPER CRIMPING LUGS CL

CL1/0-10	CL1/0-12	CL1/0-38
CL1/0-516	CL1-10	CL1-12
CL1-516	CL2/0-12	CL2/0-38
CL2-10	CL2-12	CL2-14
CL250-12	CL2-516	CL3/0-12
CL300-12	CL3-12	CL3-14
CL3-38	CL3-516	CL4/0-12
CL4/0-38	CL4-10	CL4-12
CL4-14	CL4-38	CL6-10
CL6-12	CL6-14	CL8-10
CL8-14	CL8-38	

#### COPPER TUBE CRIMPING LUGS A-2M

A10-2M10	A10-2M10-24-13	A10-2M12
A10-2M12-25	A10-2M6	A10-2M8
A10-2M8-20	A10-2M8-22	A10-2M8-24-24
A10-2M8-30	A14-2M10	A14-2M10-24
A14-2M12	A14-2M12-25	A14-2M12-30-29
A14-2M12-40	A14-2M14	A14-2M8
A14-2M8-24-24	A19-2M10	A19-2M10-24-13
A19-2M10-24-26	A19-2M10-40	A19-2M12
A19-2M12-25	A19-2M12-30-29	A19-2M14
A19-2M14-25	A19-2M16	A19-2M6
A19-2M8-24-24	A19-2M8-50-S	A2-2M8-20
A24-2M10	A24-2M10-22	A24-2M10-25/24
A24-2M10-33.5	A24-2M12	A24-2M12-30-29
A24-2M12-40	A24-2M14	A24-2M16
A24-2M8-20	A24-2M8-24-29	A24L-2M10-30AS
A30-2M10	A30-2M10-24-28	A30-2M12
A30-2M12-30	A30-2M12-30-29	A30-2M12-40
A30-2M14	A30-2M14-33.5	A30-2M8-20
A3-2M12-40	A3-2M8-20	A5-2M10-24-13
A5-2M8-20	A5-2M8-24-24	A7-2M10
A7-2M10-25	A7-2M12	A7-2M12-25
A7-2M12-40		

**COPPER TUBE CRIMPING LUGS ACCORDING TO DIN 46235 DR**

DR10-10	DR10-5	DR10-6
DR10-8	DR120-10	DR120-12
DR120-16	DR120-20	DR120-8
DR150-10	DR150-12	DR150-16
DR150-20	DR16-10	DR16-12
DR16-5	DR16-6	DR16-8
DR25-10	DR25-12	DR25-6
DR25-8	DR35-10	DR35-12
DR35-16	DR35-6	DR35-8
DR50-10	DR50-12	DR50-16
DR50-6	DR50-8	DR6-5
DR6-6	DR6-8	DR70-10
DR70-12	DR70-16	DR70-20
DR70-8	DR95-10	DR95-12
DR95-16	DR95-20	DR95-8

**COPPER TUBE CRIMPING LUGS A-M Fine stranded**

A12-M10	A12-M10/19	A12-M12
A12-M6/15	A12-M8	A17-M10
A17-M10/19	A17-M12	A17-M14
A17-M16	A17-M6	A17-M8
A20-M10	A20-M12	A20-M14
A20-M16	A20-M8	A29-M10
A29-M12	A29-M14	A29-M16
A29-M20	A29-M8	A9-M10
A9-M12	A9-M6/15	A9-M8

**CRIMPING CONNECTORS ACCORDING TO DIN 46234 Q**

Q10-10	Q10-12	Q10-4
Q10-5	Q10-6	Q10-8
Q16-10	Q16-12	Q16-5
Q16-6	Q16-8	Q25-10
Q25-12	Q25-16	Q25-5
Q25-6	Q25-8	Q35-10
Q35-12	Q35-16	Q35-6
Q35-8	Q50-10	Q50-12
Q50-16	Q50-6	Q50-8
Q70-10	Q70-12	Q70-16
Q70-6	Q70-8	

**HIGH VOLTAGE COPPER TERMINALS CA-M**

CA25-M10	CA25-M12	CA25-M8
CA40S-M12	CA40S-M16	CA50R-M12
CA50S-M12	CA50S-M16	

**HIGH VOLTAGE TERMINALS CA-2M**

CA40S-2M12	CA50R-2M12	CA50S-2M12
------------	------------	------------

**POLYAMIDE PA6.6 INSULATED COPPER TUBE LUGS ANE-M Fine stranded**

ANE12-M10	ANE12-M10/19	ANE12-M12
ANE12-M6/15	ANE12-M8	ANE9-M10
ANE9-M12	ANE9-M6/15	ANE9-M8

**POLYAMIDE PA6.6 INSULATED PIN TERMINALS ANE-P**

ANE2-P12	ANE3-P14	ANE5-P16
ANE7-P20		

**RING TONGUE TERMINALS WITH CONTAINED PALM A-M Contained palm**

A10B-M6/11.5	A14B-M6/11.5	A19B-M8/15.5
A19-M10/19	A24B-M10/19	A24B-M8/19
A2-M5/9	A30B-M10/19	A30B-M8/19
A3-M5/9	A5-M5/9	A7B-M6/11.5

**UNINSULATED END SLEEVES KE**

KE1016ST	KE25015ST	KE25018ST
KE35012ST	KE35015ST	KE35018ST

**Color coded copper crimping lugs C**

C1/0-12	C1/0-14	C1/0-38
C1/0-516	C1/0-58	C1/0-916
C1-12	C1-14	C1-38
C1-516	C2/0-12	C2/0-14
C2/0-34	C2/0-38	C2/0-516
C2/0-58	C2/0-916	C2-10
C2-12	C2-14	C2-38
C250-12	C250-14	C250-34
C250-38	C250-516	C250-58
C250-78	C250-916	C2-516
C3/0-12	C3/0-14	C3/0-34
C3/0-38	C3/0-516	C3/0-58
C3/0-916	C300-12	C300-34
C300-38	C300-516	C300-58
C300-78	C300-916	C3-10
C3-12	C3-14	C3-38
C3-516	C3-8	C4/0-12
C4/0-14	C4/0-34	C4/0-38
C4/0-516	C4/0-58	C4/0-916
C4-10	C4-12	C4-14
C4-38	C4-516	C4-8
C6-10	C6-12	C6-14
C6-38	C6-516	C6-8
C8-10	C8-12	C8-14
C8-38	C8-516	C8-8

**COLOR CODED COPPER CRIMPING LUGS CL-D**

CL1/0-D14	CL1/0-D141	CL1/0-D38
CL1/0-DN	CL1-D14	CL1-D141
CL1-D38	CL1-DN	CL2/0-D14
CL2/0-D141	CL2/0-D38	CL2/0-DN
CL250-D38	CL250-DN	CL2-D14
CL2-D141	CL2-D38	CL2-DN
CL2-DN38	CL3/0-D141	CL3/0-D38
CL3/0-DN	CL300-D38	CL300-DN
CL3-D38	CL3-DN	CL4/0-D141
CL4/0-D38	CL4/0-DN	CL4/0-DN38
CL4-D14	CL4-D141	CL4-D38
CL4-DN	CL6-D14	CL6-D141
CL6-D38	CL6-DN	CL8-D14
CL8-D141	CL8-D38	

**COPPER TUBE CRIMPING LUGS A-2M Angled**

A10-2M8-24-24/345°	A14-2M10-24-26/315°	A14-2M10-24-26/345°
A14-2M12-30-29/345°	A14-2M8-24-24/345°	A19-2M10-24-26/345°
A19-2M12-30-29/345°	A24-2M10-24-29/345°	A24-2M12-30-29/345°
A24-2M8-24-29/345°	A30-2M10-24-28/345°	A30-2M12-30-29/345°
A30-2M8-24-29/345°	A5-2M12-30-29/345°	A5-2M8-24-24/345°

**COPPER TUBE CRIMPING LUGS A-M**

A10-M10	A10-M12	A10-M14
A10-M16	A10-M6	A10-M8
A14-M10	A14-M12	A14-M14
A14-M16	A14-M6	A14-M8
A19-M10	A19-M12	A19-M14
A19-M16	A19-M20	A19-M6
A19-M8	A1-M10	A1-M3
A1-M3.5	A1-M4	A1-M5
A1-M6	A1-M8	A24-M10
A24-M12	A24-M14	A24-M16
A24-M20	A24-M8	A2-M10
A2-M12	A2-M4	A2-M5
A2-M6	A2-M8	A30-M10
A30-M12	A30-M14	A30-M16
A30-M20	A30-M8	A3-M10
A3-M12	A3-M4	A3-M5
A3-M6	A3-M8	A5-M10
A5-M12	A5-M4	A5-M5
A5-M6	A5-M8	A7-M10
A7-M12	A7-M5	A7-M6
A7-M8		

**COPPER TUBE CRIMPING LUGS ANGLED 90° A-L**

A10-L10	A10-L12	A10-L6
A10-L8	A14-L10	A14-L12
A14-L16	A14-L8	A19-L10
A19-L12	A19-L8	A1-L6
A24-L10	A24-L12	A2-L5
A2-L6	A2-L8	A30-L10
A30-L12	A3-L10	A3-L5
A3-L6	A3-L8	A5-L10
A5-L6	A5-L8	A7-L10
A7-L12	A7-L6	A7-L8

**HIGH VOLTAGE COPPER TERMINALS 2A-M**

2A10-M10	2A10-M12	2A10-M14
2A10-M16	2A14-M10	2A14-M12
2A14-M14	2A14-M16	2A19-M10
2A19-M12	2A19-M14	2A19-M16
2A19-M20	2A24-M10	2A24-M12
2A24-M14	2A24-M16	2A24-M20
2A30-M10	2A30-M14	2A30-M16
2A30-M20	2A3-M10	2A3-M8
2A5-M10	2A5-M12	2A5-M8
2A7-M10	2A7-M12	2A7-M8

**HIGH VOLTAGE STALK CONNECTORS MT-C**

MT25-C8	MT40S-C10	MT40S-C14-80
MT40S-C8	MT50R-C10	MT50R-C8
MT50S-C10	MT50S-C14-80	MT50S-C8

**POLYAMIDE PA6.6 INSULATED COPPER TUBE LUGS ANE-M**

ANE10-M10	ANE10-M12	ANE10-M6
ANE10-M8	ANE2-M10	ANE2-M12
ANE2-M4	ANE2-M5	ANE2-M6
ANE2-M8	ANE3-M10	ANE3-M12
ANE3-M4	ANE3-M5	ANE3-M6
ANE3-M8	ANE5-M10	ANE5-M12
ANE5-M4	ANE5-M5	ANE5-M6
ANE5-M8	ANE7-M10	ANE7-M12
ANE7-M6	ANE7-M8	

**POLYAMIDE PA6.6 INSULATED FORK TERMINALS ANE-U**

ANE2-U4	ANE2-U5	ANE3-U4
ANE3-U5		

**POLYPROPYLENE INSULATED END SLEEVES PK**

PKC1612	PKC1618	PKC25016
PKC25022	PKC35016	PKC35025
PKC50020	PKC50025	PKC70022
PKC95025	PKD1612	PKD1618
PKD25016	PKD25022	PKD35016
PKD35025	PKD50020	PKD50025
PKE25016	PKE25022	PKT1614

**SLEEVE CONNECTORS C-C**

C10-C10	C10-C10ST	C16-C16
C16-C16ST	C25-C10	C25-C10ST
C25-C25	C25-C25ST	C35-C16
C35-C16ST	C35-C35	C35-C35ST
C6-C6	C6-C6ST	

**UNINSULATED PIN CONNECTORS A-P**

A10-P25	A14-P30	A2-P12
A3-P14	A5-P16	A7-P20

**Through connectors**
**COLOR CODED SPLICES BSCL**

BSCL1	BSCL1/0	BSCL2
BSCL2/0	BSCL250	BSCL3
BSCL3/0	BSCL4	BSCL4/0
BSCL6	BSCL8	

**HIGH VOLTAGE COPPER THROUGH CONNECTORS MT-GC**

MT25-GC	MT40S-GC	MT50R-GC
MT50S-GC		

**PARALLEL CONNECTORS L-P**

L10-P	L14-P	L19-P
L1-P	L24-P	L2-P
L30-P	L3-P	L5-P
L7-P		

**CRIMPING THROUGH CONNECTORS ACCORDING TO DIN 46267 T.1 DSV**

DSV10	DSV120	DSV150
DSV16	DSV25	DSV35
DSV50	DSV6	DSV70
DSV95		

**HIGH VOLTAGE COPPER THROUGH CONNECTORS MT-TD**

MT25-TD	MT40S-TD	MT50R-TD
MT50S-TD		

**THROUGH CONNECTORS L-M**

L10-M	L14-M	L19-M
L24-M	L2-M	L30-M
L3-M	L5-M	L7-M



Tools

**CRIMPING FORCE GAUGES FOR HYDRAULIC TOOLS MPC7 - MPC7**

*In the same kit*

Storage

**- Plastic case VAL P22**

Tools

**- Li-Ion high power battery CB1820L**

**Battery charger ASC30-36**

ASC30-36 AUS/NZ 27046000

ASC30-36 EU 27044000