

HYDRAULIC PORTABLE BATTERY TOOL B1300TEP

System composed by:

- >Hydraulic portable battery tool with the head directly connected to the body through a 900 mm flexible hose.
- >N° 2 calibrated plungers type OG 13.2 made of special Steel.
- >CAL 19.20 gauge to use both for checking rail drills and screwing the calibrated plunger to the head.
- >Spare battery.
- >Battery charger.
- >Shoulder strap.
- >Trolley TRL01.



CERTIFICATES 

 BT 2006/42/CE

HYDRAULIC PORTABLE BATTERY TOOL **B1300TEP**

Technical characteristics

PROPERTIES

Nominal pressure	700 bar
Battery material	Li-Ion
Battery voltage	18 V
Battery current	4 Ah
Length	353,5
Width	83 mm
Height	239 mm
Weight	5.8 kg



HYDRAULIC PORTABLE BATTERY TOOL B1300TEP

In the same kit

Accessories

- Shoulder strap 6000354

Tools

- Li-Ion high power battery CB1840L

Battery charger ASC30-36 - ASC30-36 EU 27044000

Storage

- Trolley TRL01

Rail Contacts

- Gauge CAL19.20

Plunger OG - Plunger OG13.2

Products used together

Rail Contacts

Rail web electrical connection system AR

Rail web Permanent Electrical
Contact AR260D

Rail web Permanent Electrical
Contact AR67

On request

Rail Contacts

HYDRAULIC SYSTEMS FOR RAIL WEB ELECTRICAL CONNECTIONS KITAR67INST - KIT AR67INST

Plunger OG - Plunger OG13.2T