

LABELS MG-VYT

self adhesive, precut

Dielectric PVC film labels used for internal and external marking.
Consult us for availability of other colours.



CERTIFICATES 

 2011/65/EU

LABORATORY TEST 

CEI EN 60950-1

INDELIBILITY

Information technology equipment - Safety

Part 1: General requirements

§ 1.7.11 Durability

Compliance is checked by inspection and by rubbing the marking by hand for 15 s with a piece of cloth soaked with water and again for 15 s with a piece of cloth soaked with hexane.

After this test, the marking shall be legible; it shall not be possible to remove marking plates easily and they shall show no curling.

CEI EN 61010-1

INDELIBILITY

Ed.2 equivalent to VDE 0411-1

Safety indications for electric devices for measurement, control and laboratory use

Part 1: General indications

This regulation requires that both material and the print shall withstand, cleaning with chemical agents commonly used in industry.

By rubbing manually by hand, without excessive pressure, for 30 seconds with a cloth soaked in the specific detergent or, if not specified, Isopropyl Alcohol.

CEMBRE STANDARD

INDELIBILITY

This test was created to simulate cleaning with chemical products commonly used on various surfaces.

By wiping with a cloth soaked in 95% Ethanol 30 times and making a visual inspection after every 10 passes.

DIN 30643

LABELS MG-VYT

Technical characteristics

Material	PVC film
Geometric shape	rectangular with square corners
Min operating temperature range	-40 °F
Max operating temperature range	176 °F
Min application temperature	50 °F
Max application temperature	104 °F
Precut	yes
Adhesive	yes



LABELS MG-VYT

List of products

MG-VYT						
Type	Color	Height	Length	Quantity per sheet	Pack qty	SWcode
MG-VYT 46444	Yellow	0.79 in.	1.38 in.	15	750	607
MG-VYT 46954	White	0.79 in.	2.44 in.	10	500	625
MG-VYT 46454	Yellow	0.79 in.	2.44 in.	10	500	625
MG-VYT 46927	White	0.2 in.	0.47 in.	120	6,000	195
MG-VYT 46427	Yellow	0.2 in.	0.47 in.	120	6,000	195
MG-VYT 46827	Metallic grey	0.2 in.	0.47 in.	120	6,000	195
MG-VYT 46915	White	0.24 in.	0.59 in.	105	5,250	181
MG-VYT 46415	Yellow	0.24 in.	0.59 in.	105	5,250	181
MG-VYT 46815	Metallic grey	0.24 in.	0.59 in.	105	5,250	181
MG-VYT 44891	White	0.28 in.	0.39 in.	120	6,000	191
MG-VYT 44841	Yellow	0.28 in.	0.39 in.	120	6,000	191
MG-VYT 46891	Metallic grey	0.28 in.	0.39 in.	120	6,000	191
MG-VYT 46928	White	0.28 in.	0.59 in.	60	3,000	182
MG-VYT 46428	Yellow	0.28 in.	0.59 in.	60	3,000	182
MG-VYT 46828	Metallic grey	0.28 in.	0.59 in.	60	3,000	182
MG-VYT 46935	White	0.28 in.	0.79 in.	60	3,000	190
MG-VYT 46435	Yellow	0.28 in.	0.79 in.	60	3,000	190
MG-VYT 46918	White	0.31 in.	0.47 in.	96	4,800	192
MG-VYT 46418	Yellow	0.31 in.	0.47 in.	96	4,800	192
MG-VYT 46818	Metallic grey	0.31 in.	0.47 in.	96	4,800	192
MG-VYT 46923	White	0.31 in.	0.67 in.	72	3,600	194
MG-VYT 46423	Yellow	0.31 in.	0.67 in.	72	3,600	194
MG-VYT 46823	Metallic grey	0.31 in.	0.67 in.	72	3,600	194
MG-VYT 46924	White	0.31 in.	0.83 in.	60	3,000	196
MG-VYT 46424	Yellow	0.31 in.	0.83 in.	60	3,000	196
MG-VYT 46824	Metallic grey	0.31 in.	0.83 in.	60	3,000	196
MG-VYT 46914	White	0.35 in.	0.47 in.	80	4,000	160
MG-VYT 46414	Yellow	0.35 in.	0.47 in.	80	4,000	160
MG-VYT 46814	Metallic grey	0.35 in.	0.47 in.	80	4,000	160

MG-VYT 44895	White	0.35 in.	0.59 in.	70	3,500	161
MG-VYT 44845	Yellow	0.35 in.	0.59 in.	70	3,500	161
MG-VYT 46895	Metallic grey	0.35 in.	0.59 in.	70	3,500	161
MG-VYT 44896N	White	0.35 in.	0.79 in.	55	2,750	162
MG-VYT 44846N	Yellow	0.35 in.	0.79 in.	55	2,750	162
MG-VYT 46896N	Metallic grey	0.35 in.	0.79 in.	55	2,750	162
MG-VYT 46910N	White	0.35 in.	1.38 in.	33	1,650	164
MG-VYT 46410N	Yellow	0.35 in.	1.38 in.	33	1,650	164
MG-VYT 46810N	Metallic grey	0.35 in.	1.38 in.	33	1,650	164
MG-VYT 46934	White	0.59 in.	0.59 in.	49	2,450	183
MG-VYT 46434	Yellow	0.59 in.	0.59 in.	49	2,450	183
MG-VYT 46834	Metallic grey	0.59 in.	0.59 in.	49	2,450	183
MG-VYT 46932N	White	0.59 in.	0.67 in.	42	2,100	185
MG-VYT 46432N	Yellow	0.59 in.	0.67 in.	42	2,100	185
MG-VYT 46832N	Metallic grey	0.59 in.	0.67 in.	42	2,100	185
MG-VYT 46921N	White	0.59 in.	1.06 in.	28	1,400	186
MG-VYT 46421N	Yellow	0.59 in.	1.06 in.	28	1,400	186
MG-VYT 46821N	Metallic grey	0.59 in.	1.06 in.	28	1,400	186
MG-VYT 46933N	White	0.59 in.	1.93 in.	14	700	187
MG-VYT 46433N	Yellow	0.59 in.	1.93 in.	14	700	187
MG-VYT 46833N	Metallic grey	0.59 in.	1.93 in.	14	700	187
MG-VYT 46931	White	0.98 in.	0.98 in.	16	800	611
MG-VYT 46431	Yellow	0.98 in.	0.98 in.	16	800	611
MG-VYT 46831	Metallic grey	0.98 in.	0.98 in.	16	800	611
MG-VYT 46925	White	0.98 in.	1.97 in.	8	400	612
MG-VYT 46425	Yellow	0.98 in.	1.97 in.	8	400	612
MG-VYT 46825	Metallic grey	0.98 in.	1.97 in.	8	400	612
MG-VYT 46926	White	0.98 in.	3.15 in.	4	200	613
MG-VYT 46426	Yellow	0.98 in.	3.15 in.	4	200	613
MG-VYT 46826	Metallic grey	0.98 in.	3.15 in.	4	200	613
MG-VYT 46938	White	0.98 in.	3.94 in.	4	200	614
MG-VYT 46438	Yellow	0.98 in.	3.94 in.	4	200	614
MG-VYT 46939	White	1.26 in.	2.28 in.	3	150	621
MG-VYT 46439	Yellow	1.26 in.	2.28 in.	3	150	621
MG-VYT 46839	Metallic grey	1.26 in.	2.28 in.	3	150	621

MG-VYT 46922	White	1.65 in.	3.07 in.	2	100	622
MG-VYT 46422	Yellow	1.65 in.	3.07 in.	2	100	622
MG-VYT 46822	Metallic grey	1.65 in.	3.07 in.	2	100	622
MG-VYT 46929	White	1.97 in.	1.97 in.	4	200	623
MG-VYT 46429	Yellow	1.97 in.	1.97 in.	4	200	623
MG-VYT 46829	Metallic grey	1.97 in.	1.97 in.	4	200	623
MG-VYT 46911	White	2.05 in.	4.21 in.	2	100	624
MG-VYT 46411	Yellow	2.05 in.	4.21 in.	2	100	624
MG-VYT 46811	Metallic grey	2.05 in.	4.21 in.	2	100	624
MG-VYT 46941	White	2.44 in.	3.46 in.	1	50	625
MG-VYT 46441	Yellow	2.44 in.	3.46 in.	1	50	625
MG-VYT 46841	Metallic grey	2.44 in.	3.46 in.	1	50	625
MG-VYT 46913	White	4.13 in.	4.33 in.	1	50	627
MG-VYT 46413	Yellow	4.13 in.	4.33 in.	1	50	627
MG-VYT 46813	Metallic grey	4.13 in.	4.33 in.	1	50	627
MG-VYT 46215	Red	0.24 in.	0.59 in.	105	5,250	181
MG-VYT 46615	Blue	0.24 in.	0.59 in.	105	5,250	181
MG-VYT 46515	Green	0.24 in.	0.59 in.	105	5,250	181
MG-VYT 46515LG	Light green	0.24 in.	0.59 in.	105	5,250	181
MG-VYT 46715	Purple	0.24 in.	0.59 in.	105	5,250	181
MG-VYT 46115	Black	0.24 in.	0.59 in.	105	5,250	181
MG-VYT 46296N	Red	0.35 in.	0.79 in.	55	2,750	162
MG-VYT 46696N	Blue	0.35 in.	0.79 in.	55	2,750	162
MG-VYT 46596N	Green	0.35 in.	0.79 in.	55	2,750	162
MG-VYT 46596NLG	Light green	0.35 in.	0.79 in.	55	2,750	162
MG-VYT 46796N	Purple	0.35 in.	0.79 in.	55	2,750	162
MG-VYT 46196N	Black	0.35 in.	0.79 in.	55	2,750	162
MG-VYT 46239	Red	1.26 in.	2.28 in.	3	150	621
MG-VYT 46639	Blue	1.26 in.	2.28 in.	3	150	621
MG-VYT 46539	Green	1.26 in.	2.28 in.	3	150	621
MG-VYT 46539LG	Light green	1.26 in.	2.28 in.	3	150	621
MG-VYT 46739	Purple	1.26 in.	2.28 in.	3	150	621
MG-VYT 46139	Black	1.26 in.	2.28 in.	3	150	621
MG-VYT 46211	Red	2.05 in.	4.21 in.	2	100	624
MG-VYT 46611	Blue	2.05 in.	4.21 in.	2	100	624

MG-VYT 46511	Green	2.05 in.	4.21 in.	2	100	624
MG-VYT 46511LG	Light green	2.05 in.	4.21 in.	2	100	624
MG-VYT 46711	Purple	2.05 in.	4.21 in.	2	100	624
MG-VYT 46111	Black	2.05 in.	4.21 in.	2	100	624