

PROHIBITION SIGNS PS

PVC film, on sheet

Circular symbol with red border and bar, black pictogram on white background. Used to prohibit specific acts that could be dangerous.



CERTIFICATES 



2011/65/EU

PROHIBITION SIGNS PS




Technical characteristics









| | |
|---------------------------------|----------------|
| Material | Polyester film |
| Halogen Free | yes |
| Adhesive | yes |
| Min operating temperature range | -40 °F |
| Max operating temperature range | 266 °F |



PROHIBITION SIGNS PS

List of products

| PS-AP | | | | | |
|---|--------------|----------|--------------------|----------|---|
| Meaning of the symbol | | | | | Generic hazard |
| Geometric shape | | | | | circular |
|  | | | | | |
| | Type | Diameter | Quantity per sheet | Pack qty | |
|  | PS-AP 212700 | 0.98 in. | 15 | 150 |  |
| | PS-AP 212701 | 1.97 in. | 3 | 30 |  |
| | PS-AP 212703 | 3.94 in. | 2 | 10 |  |





| PS-SW | | | | | |
|---|-------------------|----------|--------------------|----------|---|
| Meaning of the symbol | | | | | No water to be used for extinguishing fires |
| Geometric shape | | | | | circular |
|  | | | | | |
| | Type | Diameter | Quantity per sheet | Pack qty | |
|  | PS-SW 210200 | 0.98 in. | 15 | 150 |  |
| | PS-SW 210200-BULK | 0.98 in. | 63 | 1,200 |  |
| | PS-SW 210201 | 1.97 in. | 3 | 30 |  |
| | PS-SW 210201-BULK | 1.97 in. | 15 | 750 |  |
| | PS-SW 210203 | 3.94 in. | 2 | 10 |  |
| | PS-SW 210203-BULK | 3.94 in. | 4 | 500 |  |

PS-NP

Meaning of the symbol
Geometric shape

No access
circular



| | Type | Diameter | Quantity per sheet | Pack qty | |
|---|--------------|----------|--------------------|----------|---|
|  | PS-NP 210500 | 0.98 in. | 15 | 150 |  |
| | PS-NP 210501 | 1.97 in. | 3 | 30 |  |
| | PS-NP 210503 | 3.94 in. | 2 | 10 |  |

PS-TA

Meaning of the symbol
Geometric shape

Do not touch, live parts
circular



| | Type | Diameter | Quantity per sheet | Pack qty | |
|---|-------------------|----------|--------------------|----------|---|
|  | PS-TA 211300 | 0.98 in. | 15 | 150 |  |
| | PS-TA 211300-BULK | 0.98 in. | 63 | 1,200 |  |
| | PS-TA 211301 | 1.97 in. | 3 | 30 |  |
| | PS-TA 211301-BULK | 1.97 in. | 15 | 750 |  |
| | PS-TA 211303 | 3.94 in. | 2 | 10 |  |
| | PS-TA 211303-BULK | 3.94 in. | 4 | 500 |  |

PS-NM

Meaning of the symbol
Geometric shape

Do not carry out any operations
circular



| | Type | Diameter | Quantity per sheet | Pack qty | |
|--|--------------|----------|--------------------|----------|--|
| | PS-NM 211400 | 0.98 in. | 15 | 150 | |
| | PS-NM 211401 | 1.97 in. | 3 | 30 | |
| | PS-NM 211403 | 3.94 in. | 2 | 10 | |

PS-NS

Meaning of the symbol
Geometric shape

No smoking
circular



| | Type | Diameter | Quantity per sheet | Pack qty | |
|--|--------------|----------|--------------------|----------|--|
| | PS-NS 210001 | 1.97 in. | 3 | 30 | |
| | PS-NS 210003 | 3.94 in. | 2 | 10 | |

PS-RP

Meaning of the symbol
Geometric shape

Protection not to be removed
circular



| | Type | Diameter | Quantity per sheet | Pack qty | |
|--|--------------|----------|--------------------|----------|--|
| | PS-RP 212401 | 1.97 in. | 3 | 30 | |
| | PS-RP 212403 | 3.94 in. | 2 | 10 | |

| PST-LSW | | | | | |
|-----------------------|---|---|---------------------------------|----------|----------|
| Geometric shape | | | rectangular with square corners | | |
| Quantity per sheet | | | 1 | | |
| Type | Meaning of the symbol | Printed text | Height | Length | Pack qty |
| PST-LSW 4103SW001-GB | No water to be used for extinguishing fires | No water to be used for extinguishing fires | 2.56 in. | 5.16 in. | 10 |
| PST-LSW 4106-SW001-GB | No water to be used for extinguishing fires | No water to be used for extinguishing fires | 4.72 in. | 7.87 in. | 3 |
| PST-LSW 4103-NP001-GB | No access | No access | 2.56 in. | 5.16 in. | 10 |
| PST-LSW 4106-NP001-GB | No access | No access | 4.72 in. | 7.87 in. | 3 |
| PST-LSW 4103-TA002-GB | Do not touch, live parts | Do not touch | 2.56 in. | 5.16 in. | 10 |
| PST-LSW 4106-TA002-GB | Do not touch, live parts | Do not touch | 4.72 in. | 7.87 in. | 3 |
| PST-LSW 4103-NM001-GB | Do not carry out any operations | Do not carry out any operations | 2.56 in. | 5.16 in. | 10 |
| PST-LSW 4106-NM001-GB | Do not carry out any operations | Do not carry out any operations | 4.72 in. | 7.87 in. | 3 |