

MANDATORY SIGNS MS

PVC film, on sheet

Circular symbol with white border and pictogram on blue background. Used to indicate that specific behaviour or actions are mandatory, and to instruct operators to wear personal safety equipment.



CERTIFICATES 



2011/65/EU

MANDATORY SIGNS **MS**

Technical characteristics

Material	Polyester film
Halogen Free	yes
Adhesive	yes
Min operating temperature range	-40 °F
Max operating temperature range	266 °F



MANDATORY SIGNS MS

List of products

MS-WG			
Meaning of the symbol			Protect the eyes
Geometric shape			circular
Type	Diameter	Quantity per sheet	Pack qty
MS-WG 220001	1.97 in.	3	30
MS-WG 220003	3.94 in.	2	10

MS-WH			
Meaning of the symbol			Protect the head
Geometric shape			circular
Type	Diameter	Quantity per sheet	Pack qty
MS-WH 220101	1.97 in.	3	30
MS-WH 220103	3.94 in.	2	10

MS-WD			
Meaning of the symbol			Protect hearing
Geometric shape			circular
Type	Diameter	Quantity per sheet	Pack qty
MS-WD 220201	1.97 in.	3	30
MS-WD 220203	3.94 in.	2	10

MS-CG			
Meaning of the symbol			Wear safety gloves
Geometric shape			circular
Type	Diameter	Pack qty	Quantity per sheet
MS-CG 220901	1.97 in.	30	3
MS-CG 220903	3.94 in.	10	2

MS-PD			
Meaning of the symbol			This way only
Geometric shape			circular
Type	Diameter	Quantity per sheet	Pack qty
MS-PD 223201	1.97 in.	3	30
MS-PD 223203	3.94 in.	2	10