


## UTILITY SECTOR SIGNS VS



CERTIFICATES 

 2011/65/EU

## UTILITY SECTOR SIGNS VS









### *Technical characteristics*








Material	Polyester film
Halogen Free	yes
Adhesive	yes
Min operating temperature range	-40 °F
Max operating temperature range	266 °F



# UTILITY SECTOR SIGNS VS

## List of products

<b>VS-I80</b>				
Geometric shape				rectangular with rounded corners
Meaning of the symbol				Multiple symbols
Type	Height	Length	Pack qty	
VS-I80 268000-D-BULK	2.76 in.	4.72 in.	300	
VS-I80 268000	2.76 in.	4.72 in.	10	
VS-I80 268000-BULK	2.76 in.	4.72 in.	300	
VS-I80 268000-GB	2.76 in.	4.72 in.	10	
VS-I80 268000-GB-BULK	2.76 in.	4.72 in.	300	
VS-I80 268000-F	2.76 in.	4.72 in.	10	
VS-I80 268000-F-BULK	2.76 in.	4.72 in.	300	
VS-I80 268000-D	2.76 in.	4.72 in.	10	
VS-I80 268000-E	2.76 in.	4.72 in.	10	
VS-I80 268000-E-BULK	2.76 in.	4.72 in.	300	
VS-I80 268000-P	2.76 in.	4.72 in.	10	

<b>VS-I81</b>				
Geometric shape				rectangular with rounded corners
Meaning of the symbol				Multiple symbols
Type	Height	Length	Pack qty	
VS-I81 268100	2.56 in.	5.16 in.	10	
VS-I81 268101	2.05 in.	4.13 in.	10	
VS-I81 268100-GB	2.56 in.	5.16 in.	10	
VS-I81 268100-F	2.56 in.	5.16 in.	10	
VS-I81 268100-D	2.56 in.	5.16 in.	10	
VS-I81 268100-E	2.56 in.	5.16 in.	10	
VS-I81 268100-P	2.56 in.	5.16 in.	10	

<b>VS-I82</b>			
Geometric shape		rectangular with rounded corners	
Meaning of the symbol		Multiple symbols	
Type	Height	Length	Pack qty
VS-I82 268200	2.05 in.	4.13 in.	10
VS-I82 268200-BULK	2.05 in.	4.13 in.	450
VS-I82 268201	1.57 in.	3.15 in.	10
VS-I82 268201-BULK	1.57 in.	3.15 in.	450
VS-I82 268200-GB	2.05 in.	4.13 in.	10
VS-I82 268200-GB-BULK	2.05 in.	4.13 in.	450
VS-I82 268200-F	2.05 in.	4.13 in.	10
VS-I82 268200-F-BULK	2.05 in.	4.13 in.	450
VS-I82 268200-D	2.05 in.	4.13 in.	10
VS-I82 268200-E	2.05 in.	4.13 in.	10
VS-I82 268200-E-BULK	2.05 in.	4.13 in.	10
VS-I82 268200-P	2.05 in.	4.13 in.	10

## VS-I83

Geometric shape

rectangular with rounded corners

Meaning of the symbol

Electrical hazard

Type	Height	Length	Pack qty	Printed text
VS-I83 268300-D-BULK	2.05 in.	4.13 in.	450	
VS-I83 268300	2.05 in.	4.13 in.	10	ATTENZIONE TOGLIERE TENSIONE PRIMA DI APRIRE LO SPORTELLLO
VS-I83 268300-BULK	2.05 in.	4.13 in.	450	
VS-I83 268301	1.57 in.	3.15 in.	10	
VS-I83 268300-GB	2.05 in.	4.13 in.	10	WARNING DISCONNECT MAINS BEFORE OPENING THE DOOR
VS-I83 268300-GB-BULK	2.05 in.	4.13 in.	450	
VS-I83 268300-F	2.05 in.	4.13 in.	10	ATTENTION METTRE HORS TENSION AVANT D'OUVRIR LA PROTECTION
VS-I83 268300-D	2.05 in.	4.13 in.	10	Achtung Die Spannung vor Öffnen der Tür ausschalten
VS-I83 268300-E	2.05 in.	4.13 in.	10	ATENCIÓN QUITAR TENSIÓN ANTES DE ABRIR LA PUERTECILLA
VS-I83 268300-P	2.05 in.	4.13 in.	10	

## VS-I84

Geometric shape

rectangular with rounded corners

Meaning of the symbol

Electrical hazard

Type	Height	Length	Pack qty	Printed text
VS-I84 268400	2.05 in.	4.13 in.	10	ATTENZIONE TOGLIERE TENSIONE PRIMA DI RIMUOVERE LA PROTEZIONE
VS-I84 268400-BULK	1.57 in.	3.15 in.	450	
VS-I84 268401	2.05 in.	4.13 in.	10	ATTENZIONE TOGLIERE TENSIONE PRIMA DI RIMUOVERE LA PROTEZIONE
VS-I84 268400-GB	2.05 in.	4.13 in.	10	
VS-I84 268400-F	2.05 in.	4.13 in.	10	ATTENTION METTRE HORS TENSION AVANT D'ENLEVER LA PROTECTION
VS-I84 268400-D	2.05 in.	4.13 in.	10	Achtung Die Spannung vor dem Entfernen des Schutzes ausschalten
VS-I84 268400-E	2.05 in.	4.13 in.	10	ATENCIÓN APAGUE LA ENERGIA ANTES DE QUITAR LA PROTECCION
VS-I84 268400-P	2.05 in.	4.13 in.	10	

## VS-I85

Geometric shape

rectangular with rounded corners

Meaning of the symbol

Electrical hazard

Type	Height	Length	Pack qty	Printed text
VS-I85 268500-D-BULK	2.05 in.	4.13 in.	450	
VS-I85 268500	2.05 in.	4.13 in.	10	ATTENZIONE APPARECCHIATURA SOTTO TENSIONE ANCHE A SPORTELLINO APERTO
VS-I85 268500-BULK	2.05 in.	4.13 in.	450	
VS-I85 268501	1.57 in.	3.15 in.	10	
VS-I85 268500-GB	2.05 in.	4.13 in.	10	ATTENTION LIVE EQUIPMENT EVEN WHEN THE DOOR IS OPEN
VS-I85 268500-GB-BULK	2.05 in.	4.13 in.	450	
VS-I85 268500-F	2.05 in.	4.13 in.	10	ATTENTION APPAREILLAGE SOUS TENSION MEME AVEC LA PROTECTION OUVERTE
VS-I85 268500-F-BULK	2.05 in.	4.13 in.	450	
VS-I85 268500-D	2.05 in.	4.13 in.	10	ACHTUNG! LEBENSGEFAHR AUCH BEI GEÖFFNETER TÜR!
VS-I85 268500-E	2.05 in.	4.13 in.	10	ATENCIÓN EQUIPO BAJO TENSION AUNQUE LA CABINA PERMANEZCA ABIERTA
VS-I85 268500-E-BULK	2.05 in.	4.13 in.	450	
VS-I85 268500-P	2.05 in.	4.13 in.	10	

## VS-I114

Geometric shape

rectangular with rounded corners

Meaning of the symbol

Multiple symbols



Type	Height	Length	Pack qty
VS-I114 2611400	2.76 in.	4.72 in.	10

