

## NYLON INSULATED FORK TERMINALS ANE-U

ANE-U series terminals are made from electrolytic copper, rolled, tin plated and brazed. The interior of the PA6.6 insulated sleeve is funnel shaped so as to ensure complete and easy introduction of the conductor strands. In order to achieve the best electrical and mechanical performance it is suggested that they are crimped using dies and tools specifically developed for this purpose by Cembre.

ANE-U series terminals are manufactured from electrolytic Copper Cu-ETP CWO04A according to UNI EN 13599 and are tin plated to a minimum thickness of 3µm.



CERTIFICATES 



E125401




2011/65/EU

# NYLON INSULATED FORK TERMINALS ANE-U

## *Technical characteristics*

Min operating temperature range	-4 °F
Max operating temperature range	239 °F
Max operating temperature range (surge)	266 °F
Material (Body)	ETP Copper electrolytically tinned
Material (Partially reinforced)	Polyamide PA6.6
Dimensional form (Fixing)	Fork/spade terminal



# NYLON INSULATED FORK TERMINALS ANE-U

## List of products

### ANE-U Cable type: flexible copper, Maximum section: 8 AWG



Type	Dimensional form	Ø	B	M	N	L	d	Pack qty	Min. pack qty
ANE2-U4	Fork/spade terminal	0.31 in.	0.39 in.	0.3 in.	0.28 in.	1.38 in.	0.17 in.	500	100
ANE2-U5	Fork/spade terminal	0.31 in.	0.45 in.	0.3 in.	0.28 in.	1.38 in.	0.21 in.	500	100

### ANE-U Cable type: copper, Maximum section: 8 AWG



Type	Dimensional form	Ø	B	M	N	L	d	Pack qty	Min. pack qty
ANE2-U4	Fork/spade terminal	0.31 in.	0.39 in.	0.3 in.	0.28 in.	1.38 in.	0.17 in.	500	100
ANE2-U5	Fork/spade terminal	0.31 in.	0.45 in.	0.3 in.	0.28 in.	1.38 in.	0.21 in.	500	100

### ANE-U Cable type: flexible copper, Maximum section: 6 AWG



Type	Dimensional form	Ø	B	M	N	L	d	Pack qty	Min. pack qty
ANE3-U4	Fork/spade terminal	0.36 in.	0.39 in.	0.39 in.	0.31 in.	1.62 in.	0.17 in.	400	100
ANE3-U5	Fork/spade terminal	0.36 in.	0.45 in.	0.39 in.	0.31 in.	1.62 in.	0.21 in.	400	100

### ANE-U Cable type: copper, Maximum section: 6 AWG



Type	Dimensional form	Ø	B	M	N	L	d	Pack qty	Min. pack qty
ANE3-U4	Fork/spade terminal	0.36 in.	0.39 in.	0.39 in.	0.31 in.	1.62 in.	0.17 in.	400	100
ANE3-U5	Fork/spade terminal	0.36 in.	0.45 in.	0.39 in.	0.31 in.	1.62 in.	0.21 in.	400	100