

## FLEXIBLE BRAIDS FL

### *Flexible Braids in bright copper*

Flexible braids are manufactured from electrolytic copper wire. Braids of different conductor sizes or lengths are available on request. Standard finish - bright copper. Flexible braids can be supplied tin plated, in this case add the suffix "ST" to reference.



---

CERTIFICATES 




2011/65/EU

# FLEXIBLE BRAIDS FL

## *Technical characteristics*

Material (Body)


Electrolytic copper



# FLEXIBLE BRAIDS FL

## List of products

### FL



Type	B	N	L	d	Pack qty
FL10-150	0.67 in.	0.39 in.	5.91 in.	0.33 in.	50
FL10-200	0.67 in.	0.39 in.	7.87 in.	0.33 in.	50
FL10-250	0.67 in.	0.39 in.	9.84 in.	0.33 in.	50
FL16-150	0.67 in.	0.39 in.	5.91 in.	0.33 in.	50
FL16-200	0.67 in.	0.39 in.	7.87 in.	0.33 in.	50
FL16-250	0.67 in.	0.39 in.	9.84 in.	0.33 in.	50
FL16-320	0.67 in.	0.39 in.	12.6 in.	0.33 in.	50
FL16-350	0.67 in.	0.39 in.	13.78 in.	0.33 in.	50
FL16-420	0.67 in.	0.39 in.	16.54 in.	0.33 in.	50
FL16-570	0.67 in.	0.39 in.	22.44 in.	0.33 in.	50
FL16-660	0.67 in.	0.39 in.	25.98 in.	0.33 in.	50
FL25-150	0.83 in.	0.39 in.	5.91 in.	0.33 in.	50
FL25-200	0.83 in.	0.39 in.	7.87 in.	0.33 in.	50
FL25-250	0.83 in.	0.39 in.	9.84 in.	0.33 in.	50
FL25-300	0.83 in.	0.39 in.	11.81 in.	0.33 in.	50