

COMPRESSION CABLE GLANDS 1700

Polyamide PA6



COMPRESSION CABLE GLANDS 1700


Technical characteristics

Material (Body)

Polyamide PA6

Material (Sealing ring)

PVC 50 sh A



COMPRESSION CABLE GLANDS 1700

List of products

1700 M



Type	Fixing hole diameter	ØA Max	ØA Min	Pack qty	B2	B	L Min	L Max	P	C	Color
1730M20	0.81 in.	0.43 in.	0.31 in.	100	0.94 in.	0.83 in.	0.87 in.	1.02 in.	M20X1,5	0.35 in.	Grey RAL 7035
1730M20N	0.81 in.	0.43 in.	0.31 in.	100	0.94 in.	0.83 in.	0.87 in.	1.02 in.	M20X1,5	0.35 in.	Black RAL 9005

1700 Pg


Type	P	Fixing hole diameter	ØA Min	ØA Max	B2	B	C	L Min	L Max	Color	Pack qty	Min. pack qty
1709	Pg7	0.5 in.	0.22 in.	0.28 in.	0.63 in.	0.59 in.	0.31 in.	0.63 in.	0.79 in.	Grey RAL 7035	300	100
1700	Pg9	0.61 in.	0.26 in.	0.33 in.	0.79 in.	0.67 in.	0.31 in.	0.75 in.	0.87 in.	Grey RAL 7035	200	100
1701	Pg11	0.74 in.	0.31 in.	0.39 in.	0.87 in.	0.75 in.	0.31 in.	0.83 in.	0.98 in.	Grey RAL 7035	100	100
1702	Pg13,5	0.81 in.	0.31 in.	0.43 in.	0.94 in.	0.83 in.	0.35 in.	0.87 in.	1.02 in.	Grey RAL 7035	100	100
1703	Pg16	0.89 in.	0.43 in.	0.55 in.	1.06 in.	0.91 in.	0.39 in.	0.94 in.	1.3 in.	Grey RAL 7035	100	100
1704	Pg21	1.12 in.	0.57 in.	0.71 in.	1.3 in.	1.18 in.	0.43 in.	0.98 in.	1.26 in.	Grey RAL 7035	50	50
1705	Pg29	1.46 in.	0.75 in.	1.02 in.	1.65 in.	1.57 in.	0.43 in.	1.06 in.	1.26 in.	Grey RAL 7035	50	25
1706	Pg36	1.86 in.	1.18 in.	1.34 in.	2.09 in.	1.97 in.	0.55 in.	1.3 in.	1.65 in.	Grey RAL 7035	20	10
1707	Pg42	2.13 in.	1.18 in.	1.5 in.	2.36 in.	2.17 in.	0.51 in.	1.46 in.	1.89 in.	Grey RAL 7035	10	10
1708	Pg48	2.36 in.	1.5 in.	1.73 in.	2.56 in.	2.36 in.	0.57 in.	1.46 in.	1.89 in.	Grey RAL 7035	5	5
1700N	Pg9	0.61 in.	0.26 in.	0.33 in.	0.79 in.	0.67 in.	0.31 in.	0.75 in.	0.87 in.	Black RAL 9005	200	100
1701N	Pg11	0.74 in.	0.31 in.	0.39 in.	0.87 in.	0.75 in.	0.31 in.	0.83 in.	0.98 in.	Black RAL 9005	100	100
1702N	Pg13,5	0.81 in.	0.31 in.	0.43 in.	0.94 in.	0.83 in.	0.35 in.	0.87 in.	1.02 in.	Black RAL 9005	100	100