

COMPRESSION CABLE GLANDS 1400

Polyamide PA6, BSP thread



COMPRESSION CABLE GLANDS 1400


Technical characteristics

Material (Body)

Polyamide PA6

Material (Sealing ring)

PVC 50 sh A



COMPRESSION CABLE GLANDS 1400

List of products

1400



Type	Fixing hole diameter	ØA Max	ØA Min	Pack qty	Min. pack qty	B2	B1	L Min	L Max	P	C	Color
1400	0.53 in.	0.28 in.	0.22 in.	300	100	0.63 in.	0.59 in.	0.63 in.	0.79 in.	G1/4"	0.31 in.	Grey RAL 7035
1401	0.67 in.	0.33 in.	0.26 in.	200	100	0.79 in.	0.67 in.	0.75 in.	0.87 in.	G3/8"	0.31 in.	Grey RAL 7035
1401B	0.67 in.	0.39 in.	0.31 in.	100	100	0.87 in.	0.75 in.	0.71 in.	0.94 in.	G3/8"	0.31 in.	Grey RAL 7035
1402	0.85 in.	0.43 in.	0.31 in.	100	100	0.83 in.	0.83 in.	0.87 in.	1.02 in.	G1/2"	0.35 in.	Grey RAL 7035
1403	0.93 in.	0.55 in.	0.43 in.	50	50	1.06 in.	0.91 in.	0.94 in.	1.3 in.	G5/8"	0.39 in.	Grey RAL 7035
1404	1.06 in.	0.71 in.	0.57 in.	50	25	1.3 in.	1.18 in.	0.98 in.	1.26 in.	G3/4"	0.43 in.	Grey RAL 7035
1405	1.34 in.	0.87 in.	0.67 in.	20	10	1.5 in.	1.34 in.	1.06 in.	1.38 in.	G1"	0.45 in.	Grey RAL 7035
1407	1.89 in.	1.34 in.	1.18 in.	10	10	2.09 in.	1.97 in.	1.3 in.	1.65 in.	G1"1/2	0.55 in.	Grey RAL 7035
1408	2.36 in.	1.73 in.	1.5 in.	5	5	2.56 in.	2.36 in.	1.46 in.	1.89 in.	G2"	0.57 in.	Grey RAL 7035
1401N	0.67 in.	0.33 in.	0.26 in.	200	100	0.79 in.	0.67 in.	0.75 in.	0.87 in.	G3/8"	0.31 in.	Black RAL 9005
1401BN	0.67 in.	0.39 in.	0.31 in.	100	100	0.87 in.	0.75 in.	0.71 in.	0.94 in.	G3/8"	0.31 in.	Black RAL 9005
1402N	0.85 in.	0.43 in.	0.31 in.	100	100	0.94 in.	0.83 in.	0.87 in.	1.02 in.	G1/2"	0.35 in.	Black RAL 9005