

COMPRESSION CABLE GLANDS 2001

Brass, BSP thread



COMPRESSION CABLE GLANDS 2001

Technical characteristics


Material (Body)	Brass
Material (Sealing ring)	PVC 50 sh A



COMPRESSION CABLE GLANDS 2001

List of products

2001



Type	Fixing hole diameter	ØA Max	ØA Min	Pack qty	Min. pack qty	B2	B1	L Min	L Max	P	C	Outer diameter
200101441N	0.53 in.	0.28 in.	0.22 in.	400	100	0.59 in.	0.51 in.	0.55 in.	0.67 in.	G1/4"	0.26 in.	
207101441N	0.53 in.	0.28 in.	0.22 in.	400	100		0.51 in.	0.55 in.	0.67 in.	G1/4"	0.26 in.	
200103841N	0.67 in.	0.33 in.	0.26 in.	200	100	0.75 in.	0.67 in.	0.59 in.	0.75 in.	G3/8"	0.3 in.	
200101241N	0.85 in.	0.43 in.	0.31 in.	100	100	0.91 in.	0.83 in.	0.67 in.	0.91 in.	G1/2"	0.31 in.	
200105841N	0.93 in.	0.55 in.	0.43 in.	100	50	0.98 in.	0.91 in.	0.79 in.	0.94 in.	G5/8"	0.33 in.	
200103441N	1.06 in.	0.69 in.	0.57 in.	50	50	1.14 in.	1.06 in.	0.79 in.	1.02 in.	G3/4"	0.35 in.	
200110041N	1.34 in.	0.87 in.	0.71 in.	25	25	1.42 in.	1.34 in.	0.91 in.	1.1 in.	G1"	0.39 in.	
200111841N	1.5 in.	1.02 in.	0.83 in.	25	25	1.57 in.	1.5 in.	0.91 in.	1.1 in.	G1"1/8	0.41 in.	
200111441N	1.65 in.	1.26 in.	1.1 in.	20	20	1.77 in.	1.65 in.	0.98 in.	1.22 in.	G1"1/4	0.45 in.	
200111241N	1.89 in.	1.42 in.	1.26 in.		10	1.97 in.	1.89 in.	1.1 in.	1.38 in.	G1"1/2	0.45 in.	
200120041N	2.36 in.	1.65 in.	1.5 in.	10	10	2.52 in.	2.36 in.	1.22 in.	1.46 in.	G2"	0.53 in.	
200121221N	2.99 in.	2.24 in.	1.73 in.	5	5	3.15 in.	3.15 in.	1.26 in.	1.46 in.	G2"1/2	0.79 in.	
200130021N	3.5 in.	2.72 in.	2.64 in.	5	5	3.74 in.	3.74 in.	1.65 in.	2.05 in.	G3"	0.79 in.	