

B70M-P24



B70M-P24

Technical characteristics

PROPERTIES

Height	12.72 in.
Width	6.42 in.
Length	15.35 in.
Weight	20.24 lbs.
Nominal pressure	10150 psi
Battery voltage	24 V
Battery current	3.1 Ah



B70M-P24

Products used together

Tools

HYDRAULIC CUTTING HEAD TC025 - TC025

HYDRAULIC CUTTING HEAD TC050Y - TC050Y

HYDRAULIC CUTTING HEAD TC085 - TC085

HYDRAULIC CUTTING HEAD TC120 - TC120

HYDRAULIC CUTTING TOOLS RH-TFC - RH-TFC

HYDRAULIC PRESSHEAD RHC131 - RHC131

HYDRAULIC PRESSHEAD RHM132 - RHM132

HYDRAULIC PRESSHEADS ECW-H3D - ECW-H3D

HYDRAULIC PRESSHEADS RHM50 - RHM50

HYDRAULIC PRESSHEADS RHU600 - RHU600

Piercing heads RHT

RHT160 RHT160-60N

Puller-type hole punching head RH-FL75 - RH-FL75

HYDRAULIC CUTTING HEAD TC050 - TC050

HYDRAULIC CUTTING HEAD TC055 - TC055

HYDRAULIC CUTTING HEAD TC096 - TC096

HYDRAULIC CUTTING HEAD, INDUSTRIAL APPLICATION TC096-KV - TC096-KV

Hydraulic nut splitting tools RHTD

Double blade head RHTD410T RHTD1724 RHTD3241

HYDRAULIC PRESSHEAD RHC131LN - RHC131LN

HYDRAULIC PRESSHEAD RHU131-C - RHU131-C

HYDRAULIC PRESSHEADS RH50 - RH50

HYDRAULIC PRESSHEADS RHU520 - RHU520

HYDRAULIC SYSTEMS FOR RAIL WEB ELECTRICAL CONNECTIONS RHTEP - RHTEP

PRESSURE TEST DEVICE FOR HYDRAULIC PUMPS AND TOOLS MPC1 - MPC1

SPECIAL TOOLS

Frame-type hole
punching head

RH-FC48N - RH-FC48N

In the same kit

Accessories

DC24	NiMH Battery 24V 3.1Ah BH2433	Shoulder strap 6000354
------	-------------------------------	------------------------

Tools

ERCH	Flexible hoses TF300-0
------	------------------------

Quick couplers Q38

Q38-F	Q38-MS
-------	--------

Storage

CASE VAL - Canvas bag 009

On request

Accessories

ESC600 - Connecting cable with crocodile clips ESC600