

HYDRAULIC PUMPS B70M-P24-CH

Portable electro-hydraulic pump, 24V dc battery for independent use, developing 10,000 psi pressure; equipped with an integral socket for connection to an external 24 V dc supply.



HYDRAULIC PUMPS B70M-P24-CH

Technical characteristics

PROPERTIES

Height	12.72 in.
Width	6.42 in.
Length	15.35 in.
Weight	20.24 lbs.
Nominal pressure	10150 psi
Battery voltage	24 V
Battery current	0.13 Ah



HYDRAULIC PUMPS B70M-P24-CH

In the same kit

Accessories

DC24	NiMH Battery 24V 3.1Ah BH2433	Shoulder strap 6000354
------	-------------------------------	------------------------

Storage

CASE VAL - Canvas bag 009

Products used together

Tools

HYDRAULIC CUTTING HEAD TC025 - TC025

HYDRAULIC CUTTING HEAD TC050Y - TC050Y

HYDRAULIC CUTTING HEAD TC085 - TC085

HYDRAULIC CUTTING HEAD TC120 - TC120

Hydraulic nut splitting tools RHTD

RHTD1724

RHTD3241

HYDRAULIC PRESSHEAD RHC131LN - RHC131LN

HYDRAULIC PRESSHEAD RHU131-C - RHU131-C

HYDRAULIC PRESSHEADS RH50 - RH50

HYDRAULIC PRESSHEADS RHU520 - RHU520

Piercing heads RHT

RHT160

RHT160-60N

Puller-type hole punching head RH-FL75 - RH-FL75

HYDRAULIC CUTTING HEAD TC050 - TC050

HYDRAULIC CUTTING HEAD TC055 - TC055

HYDRAULIC CUTTING HEAD TC096 - TC096

HYDRAULIC CUTTING HEAD, INDUSTRIAL APPLICATION TC096-KV - TC096-KV

HYDRAULIC PRESSHEAD RHC131 - RHC131

HYDRAULIC PRESSHEAD RHM132 - RHM132

HYDRAULIC PRESSHEADS ECW-H3D - ECW-H3D

HYDRAULIC PRESSHEADS RHM50 - RHM50

HYDRAULIC PRESSHEADS RHU600 - RHU600

PRESSURE TEST DEVICE FOR HYDRAULIC PUMPS AND TOOLS MPC1 - MPC1

SPECIAL TOOLS

Frame-type hole
punching head

RH-FC48N - RH-FC48N