

RIBBON PREMIUM MG2-EPTR 991611

monochrome

MG2-EPTR black ribbon has enhanced performance characteristics, details available on request.

A smaller diameter rear tension roller is required for MG2 and MG3 and will be supplied to MG2-EPTR users on request.

Shelf Life: 2 years, when kept within adequate storage conditions (between 5-35°C, 45-85% relative humidity, away from direct sunlight)



LABORATORY TEST 

CEI EN 60950-1

INDELIBILITY

Information technology equipment - Safety

Part 1: General requirements

§ 1.7.11 Durability

Compliance is checked by inspection and by rubbing the marking by hand for 15 s with a piece of cloth soaked with water and again for 15 s with a piece of cloth soaked with hexane.


After this test, the marking shall be legible; it shall not be possible to remove marking plates easily and they shall show no curling.

RIBBON PREMIUM MG2-EPTR 991611

Technical characteristics

PROPERTIES

Color	Black
Width	4.33 in.
Length	11811.02 in.
Pack qty	1



RIBBON PREMIUM MG2-EPTR 991611

Printable with Printer and Ink

Printers

Thermal transfer printer MARKINGenius MG3 - Thermal transfer printer MARKINGenius®MG3

Tags

COMPONENT MARKERS MG-SPM

32291

32895

43291

PANEL PLATES MG-VRT - 48915-HF

On request

Accessories

- Ribbon feed spool MG2-SPD1